

# Serial-Port 16-Bit SoundPort Stereo Codec

AD1847

#### **FEATURES**

Single-Chip Integrated  $\Sigma\Delta$  Digital Audio Stereo Codec Supports the Microsoft Windows Sound System\* Multiple Channels of Stereo Input Analog and Digital Signal Mixing Programmable Gain and Attenuation On-Chip Signal Filters

Digital Interpolation and Decimation

Analog Output Low-Pass

Sample Rates from 5.5 kHz to 48 kHz 44-Lead RLCC and TOEP Packages

Operation from F5 V Supplies

Serial Digital Interface Compatible with ADSP-21xx
Fixed-Point DSP

### PRODUCT OVERVIEW

The AD1847 SoundPort® Stereo Codec integrates key audio/data conversion and control functions into a single integrated circuit. The AD1847 is intended to provide a complete, low cost, single-chip solution for business, game audio and multimedia applications requiring operation from a single +5 V supply. It provides a serial interface for implementation on a computer motherboard, add-in or PCMCIA card. See Figure 1 for an example system diagram.

\*Windows Sound System is a registered trademark of Microsoft Corp. SoundPort is a registered trademark of Analog Devices, Inc.




Figure 1. Example System Diagram


External circuit requirements are limited to a minimal number of low cost support components. Anti-imaging DAC output filters are incorporated on-chip. Dynamic range exceeds 70 dB over the 20 kHz audio band. Sample rates from 5.5 kHz to 48 kHz are supported from external crystals.

The Codec includes a stereo pair of  $\Sigma\Delta$  analog-to-digital converters (ADCs) and a stereo pair of  $\Sigma\Delta$  digital-to-analog converters (DACs). Inputs to the ADC can be selected from four stereo pairs of analog signals: line 1, line 2, auxiliary ("aux") line #1, and post-mixed DAC output. A software-controlled programmable gain stage allows independent gain for each channel going into the ADC. The ADCs output can be digitally mixed with the DACs input.

The pair of 16-bit outputs from the ADCs is available over a serial interface that also supports 16-bit digital input to the DACs and control/status information. The AD1847 can accept and generate 16-bit twos-complement PCM linear digital data, 8-bit unsigned magnitude PCM linear data, and 8-bit p-law or A-law companded digital data.

(Continued on page 7)

#### **FUNCTIONAL BLOCK DIAGRAM**



REV. B

Information furnished by Analog Devices is believed to be accurate and reliable. However, no responsibility is assumed by Analog Devices for its use, nor for any infringements of patents or other rights of third parties which may result from its use. No license is granted by implication or otherwise under any patent or patent rights of Analog Devices.

® Analog Devices, Inc., 1996

One Technology Way, P.O. Box 9106, Norwood, MA 02062-9106, U.S.A. Tel: 617/329-4700 Fax: 617/326-8703

# **AD1847-SPECIFICATIONS**

# STANDARD TEST CONDITIONS UNLESS OTHERWISE NOTED

Temperature	25	$^{\circ}\mathrm{C}$	DAC Output Conditions
Digital Supply (V <sub>DD</sub> )	5.0	V	0 dB Attenuation
Analog Supply (V <sub>CC</sub> )	5.0	V	Full-Scale Digital Inputs
Word Rate (F <sub>S</sub> )	48	kHz	16-Bit Linear Mode
Input Signal	1007	Hz	No Output Load
Analog Output Passband	20	Hz to 20 kHz	Mute Off
FFT Size	4096		ADC Input Conditions
$V_{IH}$	2.4	V	0 dB Gain
$V_{IL}$	0.8	V	-3.0 dB Relative to Full Scale
$V_{OH}$	2.4	V	Line Input
$V_{OL}$	0.4	V	16-Bit Linear Mode

# ANALOG INRUT

		Min	Тур	Max	Units
Full-Scale Input Voltage (RMS) Values Assume Line 1, Line 2, AUX1, AUX2  Input Impedance Line 1, Line 2, AUX1, AUX2†  Input Capacitance †  PROGRAMMABLE GAIN AMPLIFIER—AD		2.54	1 2.8	3.10	V rms V p-p kΩ pF
	Min	Тур		Max/	Units
Step Size (All Steps Tested, -30 dB Input) PGA Gain Range Span†	1.10 21.0	1.5		7 1.90 24.0	dB dB

## **AUXILIARY INPUT ANALOG AMPLIFIERS/ATTENUATORS**

	Min	Тур	Max	Units
Step Size (+12 dB to -28.5 dB, Referenced to DAC Full Scale)	1.3	1.5	1.7	dB
(-30 dB to -34.5 dB, Referenced to DAC Full Scale)	1.1	1.5	1.9	dB
Input Gain/Attenuation Range Span†	45.5		47.5	dB
AUX Input Impedance†	10			$\mathrm{k}\Omega$

## **DIGITAL DECIMATION AND INTERPOLATION FILTERS**†

	Min	Max	Units
Passband	0	$0.4 imes  ext{F}_{ ext{S}}$	Hz
Passband Ripple	-0.1	+0.1	dB
Transition Band	$0.4 imes  ext{F}_ ext{S}$	$0.6 imes  ext{F}_{ ext{S}}$	Hz
Stopband	$0.6 imes  ext{F}_{ ext{S}}$	∞	Hz
Stopband Rejection	74		dB
Group Delay		30/F <sub>S</sub>	
Group Delay Variation Over Passband		0	μs

–2– REV. B

## ANALOG-TO-DIGITAL CONVERTERS

	Min	Тур	Max	Units
Resolution		16		Bits
Dynamic Range (-60 dB Input, THD+N Referenced to Full Scale, A-Weighted)	70			dB
THD+N (Referenced to Full Scale)			0.040	%
			-68	dB
Signal-to-Intermodulation Distortion†		83		dB
ADC Crosstalk†				
Line Inputs (Input L, Ground R, Read R; Input R, Ground L, Read L)			-80	dB
Line1 to Line2 (Input Line1, Ground and Select Line2, Read Both Channels)			-80	dB
Line to AUX1			-80	dB
Line to AUX2			-80	dB
Line to DAC			-80	dB
Gain Error (Full-Scale Span Relative to V <sub>REFI</sub> )			$\pm 10$	%
Interchannel Gain Mismatch (Difference of Gain Errors)			$\pm 0.2$	dB
DC Offset			$\pm 55$	LSB
DIGITAL-TO-ANALOG CONVERTERS	•			

	Min	Тур	Max	Units
Resolution		16		Bits
Dynamic Range (-60 dB Input, THD+N Referenced to Full Scale) A-Weighted)	76			dB
THD+N (Referenced to Full Scale)	<u> </u>	_	0.025	%
	<b>-</b>	/	72	dB
Signal-to-Intermodulation Distortion†	_ `	86		$\sim$ dB
Gain Error (Full-Scale Span Relative to V <sub>REFI</sub> )	_ 7	/	£10√	
Interchannel Gain Mismatch (Difference of Gain Errors)	7	/	$/\pm0.2$	
DAC Crosstalk† (Input L, Zero R, Measure R_OUT; Input R, Zero L, Measure I/OUT)	_	/	/ -80 /	LdB_
Total Out-of-Band Energy $\dagger$ (Measured from $0.6 \times F_S$ to $100 \text{ kHz}$ )	L7	_ / /	-50	rdB 7
Audible Out-of-Band Energy (Measured from $0.6 \times F_S$ to 22 kHz, Tested at $F_S = 5.5$ kHz)			-55	/ dB ~
		$\sim$		

# DAC ATTENUATOR

	Min	Тур	Max	Units
Step Size (0 dB to -22.5 dB) (Tested at Steps 0 dB, -19.5)	1.3	1.5	1.7	dB
Step Size (-24 dB to -94 dB)	1.0	1.5	2.0	dB
Output Attenuation Range Span†	-93		95	dB

## **DIGITAL MIX ATTENUATOR**

	Min	Тур	Max	Units
Step Size (0 dB to -22.5 dB) (Tested at Steps 0 dB, -19.5)	1.3	1.5	1.7	dB
Step Size (-24 dB to -94 dB)	1.0	1.5	2.0	dB
Output Attenuation Range Span†	-93.5		95.5	dB

### ANALOG OUTPUT

	Min	Тур	Max	Units
Full-Scale Line Output Voltage		0.707		V rms
$V_{ m REFI} = 2.35^*$	1.80	2	2.20	V p-p
Line Output Impedance†			600	Ω
External Load Impedance	10			kΩ
Output Capacitance†			15	pF
External Load Capacitance			100	
V <sub>REF</sub> (Clock Running)	2.00		2.50	pF V
V <sub>REF</sub> Current Drive		100		μA
$ m V_{REFI}$		2.35		V
Mute Attenuation of 0 dB			-80	dB
Fundamental† (LOUT)				
Mute Click†			8	mV
( Muted Output Minus Unmuted				
Midscale DAC Output )				

<sup>\*</sup>Full-scale line output voltage scales with  $V_{REF}$  (e.g.,  $V_{OUT}$  (typ) – 2.0 V  $\times$  (V\_{REF}/2.35)).

REV. B -3-

<sup>†</sup>Guaranteed, Not Tested.

## **SYSTEM SPECIFICATIONS**

	Min	Тур	Max	Units
System Frequency Response†		±0.3		dB
(Line In to Line Out, 20 Hz to 20 kHz)				
Differential Nonlinearity†			$\pm 1/2$	Bit
Phase Linearity Deviation†		1		Degrees

### STATIC DIGITAL SPECIFICATIONS

	Min	Max	Units
High Level Input Voltage (V <sub>IH</sub> )			
Digital Inputs	2.0		V
XTA <del>L1/2</del> L	2.4		V
Low Level Input Voltage (V <sub>II</sub> )		0.8	V
High Level Output Voltage (Von) I <sub>OH</sub> = 1 mA	2.4	$ m V_{DD}$	V
Low Level Output Voltage (Vol.) $I_{OL} = 4 \text{ mA}$		0.4	V
Input Leakage Current (GQ/NOGO Tested)	-10	+10	μA
Output Leakage/Current (GO/NOGO (Tested)	-10	+10	μA

TIMING PARAMETERS (Guaranteed Over Operating Temperature Range)

Min Typ Max Units

Serial Frame Sync Period  $(t_1)$ Clock to Frame Sync [SDFS] Propagation Delay  $(t_{PD1})$ Data Input Setup Time  $(t_S)$ Data Input Hold Time  $(t_H)$ Clock to Output Data Valid  $(t_{DV})$ Clock to Output Three-State [High-Z]  $(t_{HZ})$ Clock to Time Slot Output [TSO] Propagation Delay  $(t_{PD2})$ RESET and PWRDOWN Lo Pulse Width  $(t_{RPWL})$ 

### **POWER SUPPLY**

	Min	Max	Units
Power Supply Range – Digital & Analog	4.75	5.25	V
Power Supply Current – Operating (10 kΩ Line Out Load)		140	mA
Analog Supply Current – Operating (10 kΩ Line Out Load)		70	mA
Digital Supply Current – Operating (10 kΩ Line Out Load)		70	mA
Analog Power Supply Current – Power Down		400	μА
Digital Power Supply Current – Power Down		400	μA
Power Dissipation - Operating (Current × Nominal Supply)		750	mW
Power Dissipation – Power Down (Current × Nominal Supply)		4	mW
Power Supply Rejection (@ 1 kHz)†			
(At Both Analog and Digital Supply Pins, ADCs)	45		dB
(At Both Analog and Digital Supply Pins, DACs)	55		dB

## **CLOCK SPECIFICATIONS**†

	Min	Max	Units
Input Clock Frequency		27	MHz
Recommended Clock Duty Cycle		±10	%
Initialization/Sample Rate Change Time			
16.9344 MHz Crystal Selected at Power-Up		171	ms
24.576 MHz Crystal Selected at Power-Up		171	ms
16.9344 MHz Crystal Selected Subsequently		6	ms
24.576 MHz Crystal Selected Subsequently		6	ms

-4-

REV. B

<sup>†</sup>Guaranteed, not tested.

Specifications subject to change without notice.

28 V<sub>DD</sub>

□ 27 BM

\_\_\_\_ 26 L\_AUX2

\_\_\_\_ 25 R\_AUX2

\_\_\_\_ 24 L\_OUT

\_\_\_\_ 23 N/C

AD1847JST

**Top View** 

(Not to Scale)

RFILT 13 GNDA 14

CENT 15 CENT 15 CENT 15 CENT 17 CENT 1

#### ABSOLUTE MAXIMUM RATINGS\*

	Min	Max	Units
Power Supplies			
Digital $(V_{DD})$	-0.3	6.0	V
Analog (V <sub>CC</sub> )	-0.3	6.0	V
Input Current			
(Except Supply Pins)		±10.0	mA
Analog Input Voltage (Signal Pins)	-0.3	(VA+) + 0.3	V
Digital Input Voltage (Signal Pins)	-0.3	(VD+) + 0.3	V
Ambient Temperature (Operating)	0	+70	°C
Storage Temperature	-65	+150	°C

<sup>\*</sup>Stresses greater than those listed under "Absolute Maximum Ratings" may cause permanent damage to the device. This is a stress rating only and functional peration of the device at these or any other conditions above those indicated in the operational section of this specification is not implied. Exposure to absolute maximum rating conditions for extended periods may affect device reliability.

#### **ORDERING GUIDE**

Model	Temperature	Package	Package
	Range	Description	Option*
AD1847JP	0°C to +70°C	44-Lead PLCC	P-44A
AD1847JST	0°C to +70°C	44-Lead TQFP	ST-44

<sup>\*</sup>P = PLCC; ST = TQFP.

PWRDOWN

 $v_{cc}$ 

V<sub>REFI</sub> 9 □□

V<sub>REF</sub> 10

R\_LINE1 11 \_\_\_

N/C = NO CONNECT

8 🖂

**GNDA** 

CAUTION ESD (electrostatic discharge) sensitive device. Electrostatic charges as high as 4000 V readily accumulate on the human body and test equipment and can discharge without detection. Although the AD1847 features proprietary ESD protection circuitry, permanent damage may occur on devices subjected to high energy electrostatic discharges. Therefore, proper ESD **ESD SENSITIVE DEVICE** precautions are recommended to avoid performance degradation or loss of functionality PINOU' 44-Lead PLCC 44-Lead TQ₽ XTAL10 CLKOUT XTAL20 XTAL2I GNDD SCLK 36 XTAL20 36 XTAL21 35 XTAL10 34 XTAL10 140 V<sub>DD</sub> 139 SCLK 138 CLKO€¶ SDI <mark>۵</mark> 144 SDFS 143 SDO 142 SDI 141 GNDD 6 5 4 3 2 1 44 43 42 41 40 TSO 39  $V_{DD}$ 38 GNDD TSI 8 33 V<sub>DD</sub> 32 GNDD 9 XCTL1 TSO PIN 1 IDENTIFIER  $V_{DD}$ TSI 2 🗆 GNDD 10 36 XCTL0 \_\_\_\_ 31 XCTL1 3 🔲  $V_{DD}$ RESET 35 GNDD **AD1847JP** GNDD RESET \_\_\_\_ 29 GNDD **PWRDOWN Top View** 34  $V_{DD}$ 

> 33 вм

32 L\_AUX2

31

30 L\_OUT

R\_AUX1

R\_OUT

L\_AUX1

29 N/C

R\_AUX2

REV. B -5-

(Not to Scale)

18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28

LINE GNDA

GNDA LFILT

N/C = NO CONNECT

Vcc

15

**GNDA** 

V<sub>REFI</sub>

 $V_{REF}$ 

R\_LINE1 17

# PIN DESCRIPTIONS Parallel Interface

Pin Name	PLCC	TQFP	I/O	Description
SCLK	1	39	I/O	Serial Clock. SCLK is a bidirectional signal that supplies the clock as an output to the serial bus when the Bus Master (BM) pin is driven HI and accepts the clock as an input when the BM pin is driven LO. The serial clock output is fixed at 12.288 MHz when XTAL1 is selected, and 11.2896 MHz when XTAL2 is selected. SCLK runs continuously. An AD1847 should always be configured as the serial bus master unless it is a slave in a daisy-chained multiple codec system.
SDFS	6	44	I/O	Serial Data Frame Sync. SDFS is a bidirectional signal that supplies the frame synchronization signal as an output to the serial bus when the Bus Master (BM) pin is driven HI and accepts the frame synchronization signal as an input when the BM pin is driven LO. The SDFS frequency powers up at one half of the AD1847 sample rate (i.e., FRS bit = 0) with two samples per frame and can be programmed to match the sample rate (i.e., FRS bit = 1) with one sample per frame. An AD1847 should always be configured as the serial
SDI		/42	I	bus master unless it is a slave in a daisy-chained multiple codec system.  Serial Data Input. SDI is used by peripheral devices such as the host CPU or a DSP to supply sontrol and playback data information to the AD1847. All control and playback
sbo	$\left  \int_{5} \right  \left[ \int_{1}^{2}$	43)	0	transfers are 16 bits long, MSB first.  Serial Data Output. SDO is used to supply status/index readback and capture data information to peripheral devices such as the host CPU or a DSP. All status/index readback
RESET	11	5		and capture data transfels are 16 bits long, MSB first. Three-state output driver.  Reset. The RESET signal is active LO. The assertion of this signal will initialize the on-chip registers to their default values. See the "Gontrol Register Definitions" section for
PWRDOWN	12	6	I	a description of the contents of the control registers after RESET is deasserted.  Powerdown. The PWRDOWN signal is active LO. The assertion of this signal will reset the on-chip control registers (tdentically to the RESET signal) and will also place the
ВМ	33	27	Ι	AD1847 in a low power consumption model $V_{\rm REF}$ and all analog circulitry are disabled. Bus Master. The assertion (HI) of this signal indicates that the AD1847 is the serial bus master. The AD1847 will then supply the serial clock (SCLK) and the frame sync (SDFS) signals for the serial bus. One and only one AD1847 should always be configured as the serial bus master. If BM is connected to logic LO, the AD1847 is configured as a bus slave, and will accept the SCLK and SDFS signals as inputs. An AD1847 should only be configured as a serial bus slave when an AD1847 serial bus master already exists, in
TSO	7	1	О	daisy-chained multiple codec systems.  Time Slot Output. This signal is asserted HI by the AD1847 coincidentally with the LSB of the last time slot used by the AD1847. Used in daisy-chained multiple codec systems.
TSI	8	2	I	Time Slot Input. The assertion of this signal indicates that the AD1847 should immediately use the next three time slots (TSSEL = 1) or the next six time slots (TSSEL = 0) and then activate the TSO pin to enable the next device down the TDM chain. TSI should be driven LO when the AD1847 is the bus master or in single codec systems. Used in daisy-chained multiple codec systems.
CLKOUT	44	38	0	Clock Output. This signal is the buffered version of the crystal clock output and the frequency is dependent on which crystal is selected. This pin can be three-stated by driving the BM pin LO or by programming the CLKTS bit in the Pin Control Register. See the "Control Registers" section for more details. The CLKOUT frequency is 12.288 MHz when XTAL1 is selected and 16.9344 MHz when XTAL2 is selected.

# **Analog Signals**

Pin Name	PLCC	TQFP	I/O	Description
L LINE1	23	17	I	Left Line Input #1. Line level input for the #1 left channel.
R_LINE1	17	11	I	Right Line Input #1. Line level input for the #1 right channel.
L_LINE2	22	16	I	Left Line Input #2. Line level input for the #2 left channel.
R_LINE2	18	12	I	Right Line Input #2. Line level input for the #2 right channel.
L_AUX1	26	20	I	Left Auxiliary Input #1. Line level input for the AUX1 left channel.
R_AUX1	27	21	I	Right Auxiliary Input #1. Line level input for the AUX1 right channel.
L_AUX2	32	26	I	Left Auxiliary Input #2. Line level input for the AUX2 left channel.
R_AUX2	31	25	I	Right Auxiliary Input #2. Line level input for the AUX2 right channel.
L_OUT	30	24	О	Left Line Output. Line level output for the left channel.
R_OUT	28	22	О	Right Line Output. Line level output for the right channel.

-6- REV. B

#### Miscellaneous

Pin Name	PLCC	TQFP	I/O	Description
XTAL1I	40	34	I	24.576 MHz Crystal #1 Input.
XTAL1O	41	35	О	24.576 MHz Crystal #1 Output.
XTAL2I	42	36	I	16.9344 MHz Crystal #2 Input.
XTAL2O	43	37	O	16.9344 MHz Crystal #2 Output.
XCTL1:O	37 & 36	31 & 30	О	External Control. These TTL signals reflect the current status of register bits inside the AD1847. They can be used for signaling or to control external logic.
$V_{ m REF}$	16	10	О	Voltage Reference. Nominal 2.25 volt reference available externally as a voltage datum for dc-coupling and level-shifting. $V_{\rm REF}$ should not have any signal dependent load.
$V_{REFI}$	15	9	I	Voltage Reference Internal. Voltage reference filter point for external bypassing only.
J_FILT_	21	15	I	Left Channel Filter Capacitor. This pin requires a 1.0 μF capacitor to analog ground
				for proper operation.
Æ_FILT	19/	13	I	Right Channel Filter Capacitor. This pin requires a 1.0 µF capacitor to analog ground
(NC )	f <sub>9</sub>	$\binom{1}{23}$		for proper operation.  No Connect. Do not connect.
Power Suppl	ies			
Pin Name	PEG			TQFP Description
$\overline{\mathrm{V}_{\mathrm{CC}}}$	13 & 2	25		7& 19 I Analog Supply Voltage (+5-V).
GNDA	14, 20	), 24	;	8, 14, 18 Analog Ground.
$V_{\mathrm{DD}}$	2, 9, 3	34, 39	4	40, 3, 28, 33   bigital Supply Voltage (+5 V).
GNDD	3, 10,	35, 38	4	41, 4, 29, 32 I Digital Ground.

## (Continued from page 1)

The  $\Sigma\Delta$  DACs are preceded by a digital interpolation filter. An attenuator provides independent user volume control over each DAC channel. Nyquist images are removed from the DACs' analog stereo output by on-chip switched-capacitor and continuous-time filters. Two stereo pairs of auxiliary line-level inputs can also be mixed in the analog domain with the DAC output.

The AD1847 serial data interface uses a Time Division Multiplex (TDM) scheme that is compatible with DSP serial ports configured in Multi-Channel Mode with 32 16-bit time slots (i.e., SPORT0 on the ADSP-2101, ADSP-2115, etc.).

#### **AUDIO FUNCTIONAL DESCRIPTION**

This section overviews the functionality of the AD1847 and is intended as a general introduction to the capabilities of the device. As much as possible, detailed reference information has been placed in "Control Registers" and other sections. The user is not expected to refer repeatedly to this section.

#### **Analog Inputs**

The AD1847 SoundPort Stereo Codec accepts stereo line-level inputs. All inputs should be capacitively coupled (ac-coupled) to the AD1847. LINE1, LINE2, and AUX1, and post-mixed DAC output analog stereo signals are multiplexed to the internal programmable gain amplifier (PGA) stage.

The PGA following the input multiplexer allows independent selectable gains for each channel from 0 to 22.5 dB in +1.5 dB steps. The Codec can operate either in a global stereo mode or in a global mono mode with left-channel inputs appearing at both channel outputs.

## **Analog Mixing**

AUX1 and AUX2 analog stereo signals can be mixed in the analog domain with the DAC output. Each channel of each auxiliary analog input can be independently gained/attenuated from  $+12~\mathrm{dB}$  to  $-34.5~\mathrm{dB}$  in  $-1.5~\mathrm{dB}$  steps or completely muted. The post-mixed DAC output is available on L\_OUT and R\_OUT externally and as an input to the ADCs.

Even if the AD1847 is not playing back data from its DACs, the analog mix function can still be active.

### Analog-to-Digital Datapath

The  $\Sigma\Delta$  ADCs incorporate a proprietary fourth-order modulator. A single pole of passive filtering is all that is required for antialiasing the analog input because of the ADC's high 64 times oversampling ratio. The ADCs include digital decimation filters that low-pass filter the input to  $0.4 \times F_S$ . (" $F_S$ " is the word rate or "sampling frequency.") ADC input overrange conditions will cause status bits to be set that can be read.

#### Digital-to-Analog Datapath

The  $\Sigma\Delta$  DACs contain a programmable attenuator and a low-pass digital interpolation filter. The anti-imaging interpolation filter oversamples and digitally filters the higher frequency images. The attenuator allows independent control of each DAC channel from 0 dB to –94.5 dB in 1.5 dB steps plus full mute. The DACs'  $\Sigma\Delta$  noise shapers also oversample and convert the signal to a single-bit stream. The DAC outputs are then filtered in the analog domain by a combination of switched-capacitor and continuous-time filters. These filters remove the very high frequency components of the DAC bitstream output. No external components are required.

REV. B \_-7\_

Changes in DAC output attenuation take effect only on zero crossings of the digital signal, thereby eliminating "zipper" noise on playback. Each channel has its own independent zero-crossing detector and attenuator change control circuitry. A timer guarantees that requested volume changes will occur even in the absence of an input signal that changes sign. The time-out period is 8 milliseconds at a 48 kHz sampling rate and 48 milliseconds at an 8 kHz sampling rate. (Time-out [ms]  $\approx 384/F_S$  [kHz]).

### **Digital Mixing**

Stereo digital output from the ADCs can be mixed digitally with the input to the DACs. Digital output from the ADCs going out of the serial data port is unaffected by the digital mix. Along the digital mix datapath, the 16-bit linear output from the ADCs is attenuated by an amount specified with control bits. Both channels of the monitor data are attenuated by the same amount. (Note that internally the AD1847 always works with 16-bit PCM linear data, digital mixing included; format conversions take place at the input and output.)

Sixty-four steps of –1.5 dB attenuation are supported to –94.5 dB. The digital plix datapath can also be completely muted, preventing any mixing of the digital input with the digital output. Note that the level of the mixed signal is also a function of the input PGA settings, since they affect the ADCs output.

The attenuated digital mix data is digitally summed with the DAC input data prior to the DACs' datapath attenuators. The digital sum of digital mix data and DAC input data is clipped at plus or minus full scale and does not wrap around. Because both stereo signals are mixed before the output attenuators, mix data is attenuated a second time by the DACs' datapath attenuators.

### **Analog Outputs**

A stereo line-level output is available at external pins. Other output types such as headphone and speaker must be implemented in external circuitry. The stereo line-level outputs should be capacitively coupled (ac-coupled) to the external circuitry. Each channel of this output can be independently muted. When muted, the outputs will settle to a dc value near  $V_{\rm REF}$ , the midscale reference voltage.

## **Digital Data Types**

The AD1847 supports four global data types: 16-bit twoscomplement linear PCM, 8-bit unsigned linear PCM, companded  $\mu$ -law, and 8-bit companded A-law, as specified by control register bits. Eight-bit data is always left-justified in 16-bit fields; in other words, the MSBs of all data types are always aligned; in yet other words, full-scale representations in all four formats correspond to equivalent full-scale signals. The eight least significant bit positions of 8-bit data in 16-bit fields are ignored on digital input and zoned on digital output (i.e., truncated).

The 16-bit PCM data format is capable of representing 96 dB of dynamic range. Eight-bit PCM can represent 48 dB of dynamic range. Companded  $\mu\text{-law}$  and A-law data formats use nonlinear coding with less precision for large-amplitude signals. The loss of precision is compensated for by an increase in dynamic range to 64 dB and 72 dB, respectively.

On input, 8-bit companded data is expanded to an internal linear representation, according to whether  $\mu$ -law or A-law was

specified in the Codec's internal registers. Note that when  $\mu$ -law compressed data is expanded to a linear format, it requires 14 bits. A-law data expanded requires 13 bits.





Figure 2. A-Law or μ-Law Expansion

When 8-bit companding is specified, the ADCs' linear output is compressed to the format specified.



Note that all format conversions take place at input or output. Internally, the AD1847 always uses 16-bit linear PCM representations to maintain maximum precision.

#### **Power Supplies and Voltage Reference**

The AD1847 operates from +5 V power supplies. Independent analog and digital supplies are recommended for optimal performance though excellent results can be obtained in single-supply systems. A voltage reference is included on the Codec and its 2.25 V buffered output is available on an external pin ( $V_{\rm REF}$ ). The reference output can be used for biasing op amps used in dc coupling. The internal reference must be externally bypassed to analog ground at the  $V_{\rm REFI}$  pin, and must not be used to bias external circuitry.

#### **Clocks and Sample Rates**

-8-

The AD1847 operates from two external crystals, XTAL1 and XTAL2. The two crystal inputs are provided to generate a wide range of sample rates. The oscillators for these crystals are on the AD1847, as is a multiplexer for selecting between them. They can be overdriven with external clocks by the user, if so desired. At a minimum, XTAL1 must be provided since it is selected as the reset default. If XTAL2 is not used, the XTAL2 input pin should be connected to ground. The recommended crystal frequencies are 16.9344 MHz and 24.576 MHz. From them, the following sample rates can be selected: 5.5125, 6.615, 8, 9.6, 11.025, 16, 18.9, 22.05, 27.42857, 32, 33.075, 37.8, 44.1, 48 kHz.

# **CONTROL REGISTERS Control Register Mapping**

The AD1847 has six 16-bit and thirteen 8-bit on-chip useraccessible control registers. Control information is sent to the AD1847 in the 16-bit Control Word. Status information is sent from the AD1847 in the 16-bit Status Word. Playback Data and Capture Data each have two 16-bit registers for the right and left channels. Additional 8-bit Index Registers are accessed via indirect addressing in the AD1847 Control Word. [Index Registers are reached with indirect addressing.] The contents of an indirect addressed Index Register may be readback by the host CPU or DSP (during the Status Word/Index Readback time slot) by setting the Read Request (RREQ) bit in the Control Word. Note that each 16-bit register is assigned its own time slot, so that the AD1847 always consumes six 16-bit time slots. Figure 4 shows the mapping of the Control Word, Status Word/ Index Readback and Data registers to time slots when TSSEL = 0. TSSEL = 0 is used when the SDI and SDO pins are tied together (i.e., "1-wire system). This configuration is efficient in terms of component interconnect (one bidirectional wire for serial data input and output), but inefficient in terms of time slot usage (six slots consumed on single bidirectional Time Division Multiplexed [TDM] serial bas). When TSSEL = 0, serial data input to the AD1847 occurs sequentially with serial data output from the AD1847 (i.e., Control Word, Left Playback and Right Playback data is received on the SDI pin, then the Status Word Index Readback, Left Capture and Right Capture data is transmitted on the SDO pin).

Slot	Register Name (16-Bit)
0	Control Word Input
1	Left Playback Data Input
2	Right Playback Data Input
3	Status Word/Index Readback Output
4	Left Capture Data Output
5	Right Capture Data Output

Figure 4. Control Register Mapping with TSSEL = 0

Figure 5 shows the mapping of the Control Word, Status Word/ Index Readback and Data registers to time slots when TSSEL = 1. Note that the six 16-bit registers "share" three time slots. TSSEL = 1 is used when the SDI and SDO pins are independent inputs and output (i.e., "2-wire" system). This configuration is inefficient in terms of component interconnect (two unidirectional wires for serial data input and output), but efficient in terms of time slot usage (three slots consumed on each of two unidirectional TDM serial buses). When TSSEL = 1, serial data input to the AD1847 occurs concurrently with serial data output from the AD1847 (i.e., Control Word reception on the SDI pin occurs simultaneously with Status Word/Index Readback transmission on the SDO pin).

Slot	Register Name (16-Bit)
0	Control Word Input
1	Left Playback Data Input
2	Right Playback Data Input
0	Status Word/Index Readback Output
1	Left Capture Data Output
$\int 2$	Right Capture Data Output

igure 5. Control Register Mapping with TSSEL = 1 An Index Register readback request to an invalid index address (11, 14 and 15) will return the contents of the Status Word. Attempts to write to/an invalid index address (11, 14 and 15) will have no effect on the AD1847. As mentioned above, the RREQ bit of the Control Word is used to request Status Word output or Index Register readback output during either time slot 3 (TSSEL = 0) or time slot 0 (TSSEL = 1). RREQ is set for Index Register readback output, and reset for Status Word output. When Index Register readback is requested, the Index Readback bit format is the same as the Control Word bit format. All status bits are updated by the AD1847 before a new Control Word is received (i.e., at frame boundaries). Thus, if TSSEL = 0 and the Control Word written at slot 0 causes some status bits to change, the change will show up in the Status Word transmitted at slot 3 of the same sample.

REV. B \_9=

#### **Control Word (16-Bit)**

Data 15	Data 14	Data 13	Data 12	Data 11	Data 10	Data 9	Data 8
CLOR	MCE	RREQ	res	IA3	IA2	IA1	IA0
Data 7	Data 6	Data 5	Data 4	Data 3	Data 2	Data 1	Data 0

DATA7:0 Index Register Data. These bits are the data for the desired AD1847 Index Register referenced by the Index Address. Written by the host CPU or DSP to the AD1847.

IA3:0 Index Register Address. These bits define the indirect address of the desired AD1847 Index Register. Written by the host CPU or DSP to the AD1847.

RREQ Read Request. Setting this bit indicates that the current transfer is a request by the host CPU or DSP for readback of the contents of the indirect addressed Index Register. When this bit is set (RREQ = HI), the AD1847 will not transmit its Status Word in the following Status Word Index readback slot, but will instead transmit the data in the Index Register specified by the Index Address. Although the Index Readback is transmitted in the following Status Word/Index Readback time slot, the format of the Control Word is used (i.e., CLOR, MCE, RREQ and the Index Register Address in the most significant byte, and the readback Index Register Data in the least significant byte). When this bit is reset (RREQ = LO), the AD1847 will transmit its Status Word in the following Status Word Index Readback time slot.

A read request is serviced in the next available Index Readback time slot. If TSSEL = 0, the Index Register readback data is transmitted in slot 3 of the same sample. If TSSEL = 1, Index Register readback data is transmitted in slot 0 of the next sample. If TSSEL changes from 0 to 1, Index Register readback will occur twice, in slot 3 of the current sample, and slot 0 of the next. If TSSEL changes from 1 to 0, the last read request is lost.

res Reserved for future expansion. Write zeros (LQ) to all reserved bits.

MCE Mode Change Enable. This bit must be set (MCE = HI) whenever protected control register bits of the ADI 847 are changed. The Data Format register, the Miscellaneous Information register and the ACAL bit of the Interface Configuration register can NOT be changed unless this bit is set. The DAC outputs will be muted when MCE is set. The user must mute the AUX1 and AUX2 channels when this bit is set (no audio activity should occur). Written by the host CPU or DSP to the AD1847. This bit is HI after reset.

CLOR Clear Overrange. When this bit is set (CLOR = HI), the overrange bits in the Status Word are updated every sample. When this bit is reset (CLOR = LO), the overrange bits in the Status Word will record the largest overrange value. The largest overrange value is sticky until the CLOR bit is set. Written by the host CPU or DSP to the AD1847. Since there can be up to 2 samples in the data pipeline, a change to CLOR may take up to 2 samples periods to take effect. This bit is HI after reset.

Immediately after reset, the contents of this register is: 1100 0000 0000 0000 (C000h).

### Left/Right Playback/Capture Data (16-Bit)

The data formats for Left Playback, Right Playback, Left Capture and Right Capture are all identical.

Data 15	Data 14	Data 13	Data 12	Data 11	Data 10	Data 9	Data 8
DATA15	DATA14	DATA13	DATA12	DATA11	DATA10	DATA9	DATA8
Data 7	Data 6	Data 5	Data 4	Data 3	Data 2	Data 1	Data 0

DATA15:0 Data Bits. These registers contain the 16-bit, MSB first data for capture and playback. The host CPU or DSP reads the capture data from the AD1847. The host CPU or DSP writes the playback data to the AD1847. For 8-bit linear or 8-bit companded modes, only DATA15:8 contain valid data; DATA7:0 are ignored during capture, and are zeroed during playback. Mono mode plays back the same audio sample on both left and right channels. Mono capture only captures data from the left audio channel. See "Serial Data Format" Timing Diagram.

-10-

Immediately after reset, the content of these registers is: 0000 0000 0000 0000 (0000h).

REV. B

#### Status Word (16-Bit)

Data 15	Data 14	Data 13	Data 12	Data 11	Data 10	Data 9	Data 8
res	res	RREQ	res	ID3	ID2	ID1	ID0
Data 7	Data 6	Data 5	Data 4	Data 3	Data 2	Data 1	Data 0

INIT Initialization. This bit is an indication to the host that frame syncs will stop and the serial bus will be shut down. INIT is set HI on the last valid frame. It is reset LO for all other frames. Read by the host CPU or DSP from the AD1847.

The INIT bit is set HI on the last sample before the serial interface is inactivated. The only condition under which the INIT bit is set is when a different sample rate is programmed. If FRS = 0 (32 slots per frame, two samples per frame) and the sample rate is changed in the first sample of the 32 slot frame (i.e., during slots 0 through 15), the INIT bit will be set on the second sample of that frame (i.e., during slots 16 through 31). If FRS = 0 and the sample rate is changed in the second sample of the 32 slot frame, the INIT bit will be set on the second sample of the following frame.

Autocalibrate In-Progress. This bit indicates that autocalibration is in progress or the Mode Change Enable (MCE) state has been recently exited. When exiting the MCE state with the ACAL bit set, the ACI bit will be set HI for 384 sample periods. When exiting the MCE state with the ACAL bit reset, the ACAL bit will be set HI for 128 sample periods, indicating that offset and filter values are being restored. Read by the host CPU or DSP from the AD1847.

Autocalibration not in progress

Autocalibration is in progress

ACI clear (i.e., reset or LO) should be recognized by first polling for a HI on the sample after the MCE bit is reset, and then polling for a LO. Note that it is important not to start polling until one sample after MCE is reset, because if MCE is set while ACI is HI, an ACI LO on the following sample will suggest a false clear of ACI.

ORL1:0 Overrange Left Detect. These bits indicate the overrange on the left input channel. Read by the host CPU or DSP from the AD1847.

- 0 Greater than -1.0 dB underrange
- 1 Between -1.0 dB and 0 dB underrange
- 2 Between 0 dB and 1.0 dB overrange
- 3 Greater than 1.0 dB overrange

ORR1:0 Overrange Right Detect. These bits indicate the overrange on the right input channel. Read by the host CPU or DSP from the AD1847.

- 0 Greater than -1.0 dB underrange
- 1 Between -1.0 dB and 0 dB underrange
- 2 Between 0 dB and 1.0 dB overrange
- 3 Greater than 1.0 dB overrange

ID3:0 AD1847 Revision ID. These four bits define the revision level of the AD1847. The first version of the AD1847 is designated ID = 0001. Read by the host CPU or DSP from the AD1847.

RREQ This bit is reset LO for the Status Word, echoing the RREQ state written by the host CPU or DSP in the previous Control Word. Read by the host CPU or DSP from the AD1847.

res Reserved for future expansion. All reserved bits read zero (LO).

Immediately after reset, the contents of this register is: 0000 0001 0000 0000 (0100h).

REV. B –11–

res

#### **Index Readback (16-Bit)**

Data 15	Data 14	Data 13	Data 12	Data 11	Data 10	Data 9	Data 8
CLOR	MCE	RREQ	res	IA3	IA2	IA1	IA0
Data 7	Data 6	Data 5	Data 4	Data 3	Data 2	Data 1	Data 0

DATA7:0 Index Register Data. These bits are the readback data from the desired AD1847 Index Register referenced by the Index Address from the previous Control Word (with the RREQ bit set). Read by the host CPU or DSP from the AD1847.

Index Register Address. These bits echo the indirect address (written during the previous Control Word (with the RREQ IA3:0 bit set) of the desired AD1847 Index Register to be readback. Read by the host CPU or DSP from the AD1847.

Read Request. This bit is set HI for Index Readback, echoing the RREQ state written by the host CPU or DSP in the **RREQ** previous Control Word. Read by the host CPU or DSP from the AD1847.

Reserved for future expansion. All reserved bits read zero (LO).

Mode Change Enable. This bit echoes the MCE state written by the host CPU or DSP during the previous\* Control (bit set) Read by the host CPU or DSP from the AD1847.

bit choes the CLOR state written by the host CPU or DSP during the previous Control Word (with the RREQ bit set). Read by the host CPU or DSP from the AD1847.

Immediately after reset, the contents of this register is: 1110 0000 0000 0000 (£000h).

**Indirect Mapped Registers** 

Following in Figure 6 is a table defining the mapping of AD1847 8/bit Index Registers to Index Address: These registers are accessed by writing the appropriate 4-bit Index Address in the Control Word.

Index	Register Name
0	Left Input Control
1	Right Input Control
2	Left Aux #1 Input Control
3	Right Aux #l Input Control
4	Left Aux #2 Input Control
5	Right Aux #2 Input Control
6	Left DAC Control
7	Right DAC Control
8	Data Format
9	Interface Configuration
10	Pin Control
11	Invalid Address
12	Miscellaneous Information
13	Digital Mix Control
14	Invalid Address
15	Invalid Address

Figure 6. Index Register Mapping

A detailed description of each of the Index Registers is given below.

-12-REV. B

## Left Input Control Register (Index Address 0)

IA3:0	Data 7	Data 6	Data 5	Data 4	Data 3	Data 2	Data 1	Data 0
0000	LSS1	LSS0	res	res	LIG3	LIG2	LIG1	LIG0

LIG3:0 Left Input Gain Select. The least significant bit of this 16-level gain select represents +1.5 dB. Maximum gain is +22.5 dB.

res Reserved for future expansion. Write zeros (LO) to all reserved bits.

LSS1:0 Left Input Source Select. These bits select the input source for the left gain stage preceding the left ADC.

- 0 Left Line 1 Source Selected
- 1 Left Auxiliary 1 Source Selected
- 2 Left Line 2 Source Selected
- 3 Left Line 1 Post-Mixed Output Loopback Source Selected

This register's initial state after reset is: 0000 0000 (00h).

Right Input Control/Register (Index Address 1)

IA3:0	/_	Data 7	Data 6		ta 5	Data 4	Data 3	Data 2	Data 1	Data 0
0001	17	IKSSI \	RS\S0	$\sqrt{-}$	es	res	RIG3	RIG2	RIG1	RIG0

RIG3:0 Right Input Gain Select. The least significant bit of this 16-level gain select represents +1.5 dB. Maximum gain is +22.5 dB.

res Reserved for future expansion. Write zeros (LO) to all reserved bits.

RSS1:0 Right Input Source Select. These bits select the input source for the right gain stage preceding the fight AD

- 0 Right Line 1 Source Selected
- 1 Right Auxiliary 1 Source Selected
- 2 Right Line 2 Source Selected
- 3 Right Line 1 Post-Mixed Output Loopback Source Selected

This register's initial state after reset is: 0000 0000 (00h).

## Left Auxiliary #1 Input Control Register (Index Address 2)

IA3:0	Data 7	Data 6	Data 5	Data 4	Data 3	Data 2	Data 1	Data 0
0010	LMX1	res	res	LX1G4	LX1G3	LX1G2	LX1G1	LX1G0

LX1G4:0 Left Auxiliary Input #1 Gain Select. The least significant bit of this 32-level gain/attenuate select represents -1.5 dB. LX1G4:0 = 0 produces a +12 dB gain. LX1G4:0 = "01000" (8 decimal) produces 0 dB gain. Maximum attenuation is -34.5 dB. Gains referred to 2.0 V p-p full-scale output level.

res Reserved for future expansion. Write zeros (LO) to all reserved bits.

LMX1 Left Auxiliary #1 Mute. This bit, when set HI, will mute the left channel of the Auxiliary #1 input source. This bit is set HI after reset.

This register's initial state after reset is: 1000 0000 (80h).

## Right Auxiliary #1 Input Control Register (Index Address 3)

IA3:0	Data 7	Data 6	Data 5	Data 4	Data 3	Data 2	Data 1	Data 0
0011	RMX1	res	res	RX1G4	RX1G3	RX1G2	RX1G1	RX1G0

RX1G4:0 Right Auxiliary Input #1 Gain Select. The least significant bit of this 32-level gain/attenuate select represents -1.5 dB. RX1G4:0 = 0 produces a +12 dB gain. RX1G4:0 = "01000" (8 decimal) produces 0 dB gain. Maximum attenuation is -34.5 dB. Gains referred to 2.0 V p-p full-scale output level.

Reserved for future expansion. Write zeros (LO) to all reserved bits.

RMX1 Right Auxiliary #1 Mute. This bit, when set to HI, will mute the right channel of the Auxiliary #1 input source. This bit is set to HI after reset.

This register's initial state after reset is: 1000 0000 (80h).

res

REV. B –13–

## Left Auxiliary #2 Input Control Register (Index Address 4)

IA3:0	Data 7	Data 6	Data 5	Data 4	Data 3	Data 2	Data 1	Data 0
0100	LMX2	res	res	LX2G4	LX2G3	LX2G2	LX2G1	LX2G0

LX2G4:0 Left Auxiliary #2 Gain Select. The least significant bit of this 32-level gain/attenuate select represents -1.5 dB.

LX2G4:0 = 0 produces a +12 dB gain. LX2G4:0 = "01000" (8 decimal) produces 0 dB gain. Maximum attenuation is

-34.5 dB. Gains referred to 2.0 V p-p full-scale output level.

res Reserved for future expansion. Write zeros (LO) to all reserved bits.

LMX2 Left Auxiliary #2 Mute. This bit, when set HI, will mute the left channel of the Auxiliary #2 input source. This bit is HI

after reset.

This register's initial state after reset is: 1000 0000 (80h).

# Right Auxiliary #2 Input Control Register (Index Address 5)

/ IA/3:0	Data 7 Data 6	Data 5	Data 4	Data 3	Data 2	Data 1	Data 0
0101	kMX2 res	res	RX2G4	RX2G3	RX2G2	RX2G1	RX2G0

RX2G4:0 Right Adxiliary #2 Gain Select. The least significant bit of this 32-level gain/attenuate select represents -1.5 dB.

RX2G4/0 = 6 produces a +12 dB gain. RX2G4/0 = "01000" (8 decimal) produces 0 dB gain. Maximum attenuation is

-34.5 dB. Gains referred to 2.0 V p-p full-scale output level.

res Reserved for future expansion. Write zeros (LQ) to all reserved/bit

RMX2 Right Auxiliary #2 Mute. This bit, when set HI, will mute the right channel of the Auxiliary #2 input source. This bit is

HI after reset.

This register's initial state after reset is: 1000 0000 (80h).

## Left DAC Control Register (Index Address 6)

IA3:0	Data 7	Data 6	Data 5	Data 4	Data 3	Data 2	Data 1	Data 0	_
0110	LDM	res	LDA5	LDA4	LDA3	LDA2	LDA1	LDA0	

LDA5:0 Left DAC Attenuate Select. The least significant bit of this 64-level attenuate select represents -1.5 dB. LDA5:0 = 0 produces a 0 dB attenuation. Maximum attenuation is -94.5 dB.

res Reserved for future expansion. Write zeros (LO) to all reserved bits.

LDM Left DAC Mute. This bit, when set HI, will mute the left channel output. Auxiliary inputs are muted independently with the Left Auxiliary Input Control Registers. This bit is HI after reset.

This register's initial state after reset is: 1000 0000 (80h).

#### Right DAC Control Register (Index Address 7)

IA3:0	Data 7	Data 6	Data 5	Data 4	Data 3	Data 2	Data 1	Data 0
0111	RDM	res	RDA5	RDA4	RDA3	RDA2	RDA1	RDA0

RDA5:0 Right DAC Attenuate Select. The least significant bit of this 64-level attenuate select represents -1.5 dB. RDA5:0 = 0 produces a 0 dB attenuation. Maximum attenuation must be at least -94.5 dB.

res Reserved for future expansion. Write zeros (LO) to all reserved bits.

RDM Right DAC Mute. This bit, when set HI, will mute the right DAC output. Auxiliary inputs are muted independently with the Right Auxiliary Input Control Registers. This bit is HI after reset.

This register's initial state after reset is: 1000 0000 (80h).

-14- REV. B

## **Data Format Register (Index Address 8)**

IA3:0	Data 7	Data 6	Data 5	Data 4	Data 3	Data 2	Data 1	Data 0
1000	res	FMT	C/L	S/M	CFS2	CFS1	CFS0	CSL

The contents of this register can NOT be changed except when the AD1847 is in the Mode Change Enable (MCE) state (i.e., the MCE bit in the Control Word is HI). Write attempts to this register when the AD1847 is not in the MCE state will not be successful.

CSL Clock Source Select. This bit selects the clock source to be used for the audio sample rate.

0 XTAL1 (24.576 MHz)

1 XTAL2 (16.9344 MHz)

CFS2:0 Clock Frequency Divide Select. These bits select the audio sample rate frequency. The audio sample rate depends on which clock source is selected and the frequency of the clock source.

CFS2:0	Divide Factor	XTAL1 24.576 MHz	XTAL2 16.9344 MHz
$ \begin{array}{c}                                     $	3072 1536 896 768 448 384 512 2560	8.0 kHz 16.0 kHz 27.42857 kHz 32.0 kHz Not Supported Not Supported 48.0 kHz 9.6 kHz	5.5125 kHz 11.025 kHz 18.9 kHz 22.05 kHz 37.8 kHz 44.1 kHz 33.075 kHz 6.615 kHz

Note that the AD1847's internal oscillators can be overdriven by external clock sources at the crystal inputs. This is the configuration used by serial bus slave codecs in daisy-chained multiple codec systems. If an external clock source is applied, it will be divided down by the selected Divide Factor. The external clock need not be at the recommended crystal frequencies.

S/M Stereo/Mono Select. This bit determines how the audio data streams are formatted. Selecting stereo will result with alternating samples representing left and right audio channels. Mono playback plays the same audio sample on both channels. Mono capture only captures data from the left audio channel.

0 Mono

1 Stereo

C/L Companded/Linear Select. This bit selects between a linear digital representation of the audio signal or a nonlinear, companded format for all input and output data. The type of linear PCM or the type of companded format is defined by the FMT bits.

0 Linear PCM

1 Companded

FMT Format Select. This bit defines the format for all digital audio input and output based on the state of the C/L bit.

	Linear PCM $(C/L = 0)$	Companded $(C/L = 1)$
0	8-bit unsigned linear PCM	8-bit μ-law companded
1	16-bit signed linear PCM	8-bit A-law companded

res Reserved for future expansion. Write zeros (LO) to all reserved bits.

This register's initial state after reset is: 0000 0000 (00h).

REV. B –15–

## **Interface Configuration Register (Index Address 9)**

IA3:0	Data 7	Data 6	Data 5	Data 4	Data 3	Data 2	Data 1	Data 0
1001	res	res	res	res	ACAL	res	res	PEN

PEN Playback Enable. This bit will enable the playback of data in the format selected. PEN may be set and reset without setting the MCE bit.

- 0 Playback Disabled
- 1 Playback Enabled

ACAL Autocalibrate Enable. This bit determines whether the AD1847 performs an autocalibrate when exiting from the Mode Change Enable (MCE) state. If the ACAL bit is not set, the previous autocalibration values are used when returning from the Mode Change Enable (MCE) state and no autocalibration takes place. Autocalibration must be preformed after initial power-up for proper operation. This bit is HI after reset.

No autocalibration Autocalibration allowed

NOTE The ACAL bit can only be changed when the AD1847 is in the Mode Change Enable (MCE) state.

Reserved for future expansion. Write zeros (LO) to all reserved bits.

This register's initial state after reset is: 0000 1000 (08b)

Pin Control Register (Index Address 10)

IA3:0	Data 7	Data 6	Data 5 \	_ \	Data 4	Data 3	Data	<i>p</i>	Data T	D	ata (	0
1010	XCTL1	XCTL0	CLKTS		res	res	res		res	7 ~	res	

CLKTS Clock Three-State. If the BM bit is HI, and the CLKTS bit is HI, then the CLKOUT pin will be three-stated If the BM bit is HI, and the bit CLKTS is LO, then the CLKOUT pin is not three-stated. If the BM bit is I/O, then the CLKOUT pin is always three-stated.

XCTL1:0 External Control. The state of these independent bits is reflected on the respective XCTL1 and XCTL0 pins of the AD1847.

- 0 TTL logic LO on XCTL1, XCTL0 pins
- 1 TTL logic HI on XCTL1, XCTL0 pins

res Reserved for future expansion. Write zeros (LO) to all reserved bits.

This register's initial state after reset is: 0000 0000 (00h).

# **Invalid Address (Index Address 11)**

IA3:0	Data 7	Data 6	Data 5	Data 4	Data 3	Data 2	Data 1	Data 0
1011	inval							

inval Writes to this index address are ignored. Index readback of this index address will return the Status Word.

–16– REV. B

### Miscellaneous Information Register (Index Address 12)

IA3:0	Data 7	Data 6	Data 5	Data 4	Data 3	Data 2	Data 1	Data 0
1100	FRS	TSSEL	res	res	res	res	res	res

The Miscellaneous Information Register can only be changed when the AD1847 is in the Mode Change Enable (MCE) state. Changes to this register are updated at the next Serial Data Frame Sync (SDFS) boundary. If FRS is LO (i.e., 32 slots per frame), and either TSSEL or FRS change in the first sample of a frame, the change is not updated at the second sample of the same frame, but at the first sample of the next frame.

TSSEL Transmit Slot Select. This bit determines which TDM time slots the AD1847 should transmit on.

- Transmit on time slots 3, 4 and 5. Used when SDI and SDO are tied together (i.e., "1-wire" system).
- Transmit on slots 0, 1 and 2. Used when SDI and SDO are independent inputs and outputs (i.e., "2-wire" system).

FRS Frame Size. This bit selects the number of time slots per frame.

- O Selects 32 slots per frame (two samples per frame sync or frame sync at half the sample rate).
  - Selects 16 slots per frame (one sample per frame sync or frame sync at the sample rate).

Reserved for future expansion. Write zeros (LO) to all reserved bits.

This register's initial state after reset is: 0000 0000 (00h).

Digital Mix Control Register (Index Address 13)

res

IA3:0 Data\_7 Data 6 Dalta/5 Data Data 3 Data 1 Data 0 Data 2 DMA4 1101 DMA<sub>5</sub> DMA2 DMA1 DMAQ **DME** 

DME Digital Mix Enable. This bit enables the digital mix of the ADCs' output with the DACs' input. When enabled, the data from the ADCs is digitally mixed with other data being delivered to the DACs (regardless of whether or not playback [PEN] is enabled, i.e., set). If there is a capture overrun, then the last cample captured before overrun will be used for the digital mix. If playback is enabled (PEN set) and there is a playback underrun, then a midscale zero will be added to the digital mix data.

- O Digital mix disabled (muted)
- 1 Digital mix enabled

DMA5:0 Digital Mix Attenuation. These bits determine the attenuation of the ADC output data mixed with the DAC input data. The least significant bit of this 64-level attenuate select represents –1.5 dB. Maximum attenuation is –94.5 dB.

res Reserved for future expansion. Write zeros (LO) to all reserved bits.

This register's initial state after reset is: 0000 0000 (00h).

## **Invalid Address (Index Address 14)**

IA3:0	Data 7	Data 6	Data 5	Data 4	Data 3	Data 2	Data 1	Data 0
1110	inval							

inval Writes to this index address are ignored. Index readback of this index address will return the Status Word.

#### **Invalid Address (Index Address 15)**

IA3:0	Data 7	Data 6	Data 5	Data 4	Data 3	Data 2	Data 1	Data 0
1111	inval							

inval Writes to this index address are ignored. Index readback of this index address will return the Status Word.

REV. B –17–

#### **Serial Data Interface**

The AD1847 serial data interface uses a Time Division Multiplex (TDM) scheme that is compatible with DSP serial ports configured in Multi-Channel Mode with either 32 or 16 16-bit time slots. An AD1847 is always the serial bus master, transmitting the serial clock (SCLK) and the serial data frame sync (SDFS). The AD1847 always receives control and playback data in time slots 0, 1 and 2. The AD1847 will transmit status or index register readback and capture data in time slots 0, 1 and 2 if TSSEL = 1, and will transmit status or index register readback and capture data in time slots 3, 4 and 5 if TSSEL = 0. The following table in Figure 7 shows an example of how the time slots might be assigned.

In this example design, which uses the ADSP-21xx DSP, each frame is divided into 32 time slots of 16-bits each (FRS = 0). Two audio samples are contained in the 32 time slots, with a single frame sync (SDFS) at the beginning of the frame. The ADSP-21xx serial port (SPORTO) supports 32 time slots. The format of the first 16 time slots (sample N) is the same as the format of the second 16 time slots (sample N+1). In this example, 24 time slots are used, as indicated below. Note that time slots 12 through 15 and 28 through 31 are unused in this example, and that Figure 7 presumes that TSSEL = 0 ("1-wire" system).


Slot Number	Source	Destination	Format
0, 16			AD1847 Control Word
1, 17	ASIC	AD1847	Left Playback Data
2, 18			Right Playback Data
3, 19			AD1847 Status Word/
			Index Readback
4, 20	AD1847	ASIC	Left Capture Data
5, 21			Right Capture Data
0, 16			AD1847 Control Word
1, 17	DSP	AD1847	Left Playback Data
2, 18			Right Playback Data
3, 19			AD1847 Status Word/
			Index Readback
4, 20	AD1847	DSP	Left Capture Data
5, 21			Right Capture Data
6, 22			DSP Control
7, 23	ASIC	DSP	Left Processed
			Playback Data
8, 24			Right Processed
			Playback Data
9, 25			DSP Status
10, 26	DSP	ASIC	Left Processed
			Capture Data
11, 27			Right Processed
			Capture Data

Figure 7. Time Slot Assignment Example

Note that in this "1-wire" system example, the Digital Signal Processor (DSP) and ISA Bus Interface ASIC (ASIC) use the same slots to communicate to the AD1847. This reduces the number of total time slots required and eliminates the need for the AD1847 to distinguish between DSP data and ASIC data. Also, in this example the ASIC and the DSP do not send data to the AD1847 at the same time, so separate slots are unnecessary.

The digital data in the serial interface is pipelined up to 2 samples deep. This pipelining is required to properly resolve the interface between the relatively fast fixed SCLK rate, and the relatively slow sample rates (and therefore frame sync rates) at which the AD1847 is capable of running. At low sample rates, two samples of data can be serviced in a fraction of a sample period. For example, at an 8 kHz sample rate, 32 time slots only consume  $32\times16\times(1/12.288~\text{MHz})=41.67~\mu\text{s}$  out of a 125  $\mu\text{s}$  period. The two-deep data pipeline thus allows sample overrun (capture) and sample underrun (playback) to be avoided.

Figure 8 represents a logical view of the slot utilization between devices.



Note that this is a system specific 1-wire example. For non-DSP operation, the DSP is either not present or disabled. If the DSP is present, the ASIC configures the DSP through slot 6 (and slot 22) to three-state its outputs in time slots 0, 1 and 2 (and slots 16, 17 and 18). The ASIC can then enable its drivers for time slots 0, 1 and 2 (and slots 16, 17 and 18). For DSP operation, the ASIC three-states its outputs for time slots 0, 1 and 2 (and slots 16, 17 and 18) and enables the DSP drivers for slots 0, 1 and 2 (and slots 16, 17, and 18).

An application note is available from Analog Devices with additional information on interfacing to the AD1847 serial port. This application note can be obtained through your local Analog Devices representative, or downloaded from the DSP Bulletin Board Service at (617) 461-4258 (8 data bits, no parity, 1 stop bit, 300/1200/2400/4600 baud).

–18– REV. B

# **Control Word**

Data 15	Data 14	Data 13	Data 12	Data 11	Data 10	Data 9	Data 8
CLOR	MCE	RREQ	res	IA3	IA2	IA1	IA0
Data 7	Data 6	Data 5	Data 4	Data 3	Data 2	Data 1	Data 0

# Left Playback Data

Data 15	Data 14	Data 13	Data 12	Data 11	Data 10	Data 9	Data 8
DATA15	DATA14	DATA13	DATA12	DATA11	DATA10	DATA9	DATA8
Data 7	Data 6				Data 2		Data 0

Right Playback 🗗

		Data 13				Data 9	Data 8
DA)TA)15	QATA(4	DATAIS	QATA12	DATA11	DATA10	DATA9	DATA8
		Data 5					Data 0

# **Status Word**

Data 15	Data 14	Data 13	Data 12	Data H		/ Data 9	Data 8
res	res	RREQ	res	ID3	$\int D2$	/ ID1/	
Data 7	Data 6	Data 5	Data 4	Data 3	Data 2	√ Data/1	Data 0
res	res	ORR1	ORR0	ORL1	ORL0	ACÎ	INIJT

# **Index Readback**

Data 15	Data 14	Data 13	Data 12	Data 11	Data 10	Data 9	Data 8
CLOR	MCE	RREQ	res	IA3	IA2	IA1	IA0
Data 7	Data 6	Data 5	Data 4	Data 3	Data 2	Data 1	Data 0

# **Left Capture Data**

Data 15	Data 14	Data 13	Data 12	Data 11	Data 10	Data 9	Data 8
DATA15	DATA14	DATA13	DATA12	DATA11	DATA10	DATA9	DATA8
Data 7	Data 6	Data 5	Data 4	Data 3	Data 2	Data 1	Data 0

# **Right Capture Data**

Data 15	Data 14	Data 13	Data 12	Data 11	Data 10	Data 9	Data 8
DATA15	DATA14	DATA13	DATA12	DATA11	DATA10	DATA9	DATA8
Data 7	Data 6	Data 5	Data 4	Data 3	Data 2	Data 1	Data 0

REV. B –19–

IA3:0	Data 7	Data 6	Data 5	Data 4	Data 3	Data 2	Data 1	Data 0	Index
0000	LSS1	LSS0	res	res	LIG3	LIG2	LIG1	LIG0	0
0001	RSS1	RSS0	res	res	RIG3	RIG2	RIG1	RIG0	1
0010	LMX1	res	res	LX1G4	LX1G3	LX1G2	LX1G1	LX1G0	2
0011	RMX1	res	res	RX1G4	RX1G3	RX1G2	RX1G1	RX1G0	3
0100	LMX2	res	res	LX2G4	LX2G3	LX2G2	LX2G1	LX2G0	4
0101	RMX2	res	res	RX2G4	RX2G3	RX2G2	RX2G1	RX2G0	5
0110	LDM	res	LDA5	LDA4	LDA3	LDA2	LDA1	LDA0	6
0111	RDM	res	RDA5	RDA4	RDA3	RDA2	RDA1	RDA0	7
1000	res	FMT	C/L	S/M	CFS2	CFS1	CFS0	CSL	8
1001	res	res	res	res	ACAL	res	res	PEN	9
1010	XCTL1	XCTL0	CLKTS	res	res	res	res	res	10
/ 1011	inval	inval	inval	inval	inval	inval	inval	inval	11
/ /1100	FR\$ 1	TSSEL	res	res	res	res	res	res	12
(1101	DMA5L	DMA	DMA3	DMA2	DMA1	DMA0	res	DME	13
/ YULD/	/inval	inval	Inval	inyal	inval	inval	inval	inval	14
Т	inval	inval	inval	inval	inyal	inval	inval	inval	15
	L	<del></del>	7	7 7	1 1 /	1	•		•

Figure 9 Register Map Surfimary

**Control Register Mapping Summary** 

A detailed map of the control register bit assignments is summarized for reference in Figure 9.

# **Daisy-Chained Multiple Codecs**

Multiple AD1847s can be configured in a daisy-chain system with a single master Codec and one or more slave Codecs. Codecs in a daisy-chained configuration are synchronized at the sample level.

The master and slave AD1847s should be powered-up together. If this is not possible, the slave(s) should power-up before the master Codec, such that the slave(s) are ready when the master starts to drive the serial interface, and a serial data frame sync (SDFS) can synchronize the master and slave(s).

The sample rate for the master and slave(s) should be programmed together. If this is not possible, the slave(s) should be programmed before the master AD1847. A slave AD1847 enters a time-out period after a new sample rate has been selected. During this time-out period, a slave will ignore any activity on the SDFS signal (i.e., frame syncs). There is no software means to determine when a slave has exited from this time-out period and is ready to respond to frame syncs. However, as long as the AD1847 master is driving the serial interface, a frame sync will not occur before the slave Codec(s) are ready.


Note that the time slots for all slave AD1847s must be assigned to those slots which immediately follow the time slots consumed by the master AD1847 so that the TSO (Time Slot Output)/TSI (Time Slot Input) signaling operates properly. For example, in a 2-wire system with one master and one slave, the time slot assignment should be 0, 1, 2 (16, 17, 18) for the master AD1847, and 3, 4, 5 (19, 20, 21) for the slave AD1847.

Figure 10 illustrates the connection between master and slave(s) in a dairy-chained, multiple Codec system. Note that the TSI pin of the master Codec should be tied to digital ground. The XTALTI pin of the slaves should be connected to digital ground, and XTALTO pin should be left unconnected, while the XTAL2I pin should be connected to the CLKOUT pin of the AD1847 master, and the XTAL2O pin generates a driven version of the CLKOUT signal applied to the XTAL2I pin.

# INITIALIZATION AND PROCEDURES Reset and Power Down

A total reset of the AD1847 is defined as any event which requires both the digital and analog section of the AD1847 to return to a known and stable state. Total reset mode, as well as power down, occurs when the  $\overline{PWRDOWN}$  pin of the AD1847 has been asserted low for minimum power consumption. When the  $\overline{PWRDOWN}$  signal is deasserted, the AD1847 must be calibrated by setting the ACAL bit and exiting from the Mode Change Enable (MCE) state.

The reset occurs, and only resets the digital section of the AD1847, when the  $\overline{RESET}$  pin of the AD1847 has been asserted LO to initialize all registers to known values. See the register definitions for the exact values initialized. The register reset defaults include TSSEL = 0 (1-wire system) and FRS = 0 (32 slots per frame). If the target application requires a 2-wire system design or 16 slots per frame, the AD1847 can be bootstrapped into these configurations.



24.576 16.9344 MHz MHz XTAL1I. O XTAL2I. O SCLK SDFS AD1847 SDI SDO (MASTER) TSO CLKOUT TSI XTAI 2I SCLK XTAL10 N/C **SDFS** SDI (SLAVE 1) SDO TSO XTAL1I TSI XTAL2I SCLK XTAL10 N/C SDFS SDI (SLAVE 2) SDO TSO XTAL1I

Figure 10b. Two-Wire Daisy-Chained Codec Interconnect To bootstrap into TSSEL = 1 (i.e., 2-wire system design), the host CPU or DSP must transmit to the AD1847 in slot 0 a Control Word with the MCE bit set HI, IA3:0 = "1100" to address the Miscellaneous Information Index Register, and DATA7:0 = "X100 000" to set the TSSEL bit HI. To bootstrap into FRS = 1 (i.e., 16 slots per frame), the host CPU or DSP must transmit to the AD1847 in slot 0 a Control Word with the

MCE bit set HI, IA3:0 = "1100" to address the Miscellaneous Information Index Register, and DATA7:0 = " $1X00\ 0000$ " to set the FRS bit HI.

The host CPU or DSP must maintain the MCE bit set HI in slot 16, which is the Control Word of the second sample of the frame, so that the AD1847 does not initiate autocalibration prematurely. At the next frame sync, the AD1847 will be reconfigured.

The AD1847 must be reset after power up. When the RESET signal is deasserted, the AD1847 will autocalibrate when the MCE bit is reset LO (i.e., when exiting the Mode Change Enable state) only if the ACAL bit is set. If the ACAL bit is not set, the previous autocalibration values will be used.

The AD1847 will not function properly unless an autocalibration is performed after power up.

During power down, the serial port digital output pins and the analog output pins take the following states:

SCLK-LO if BM is HI (i.e., bus master), input pin if BM is LO (i.e., bus slave)

SDFS-LO if BM is HI, input pin if BM is LO

SDO three-state

CLKOUT-LO if BM HI, three-state if BM is LO

V<sub>RF</sub>-pulled to analog ground

L\_OUT, R\_ OUT pulled to analog ground

Clock Connections and Clock Rates

When the AD 1847 is configured as a bus slave (BM = LO), the XTAL1I pin should be connected to digital ground, and the XTAL2I pin should be tied to the CLKOUT of the AD 1847 bus master. The XTAL1O and the XTAL2O pins should be left unconnected. When the AD 1847 is configured as a bus mister (BM = HI), the XTAL1I and the XTAL1O pin should be connected to a 24.576 MHz crystal, and the XTAL2I and XTAL2O pin should be connected to a 16.9344 MHz crystal.

When XTAL1 is selected (by resetting the CSL bit LO in the Data Format Register) as the clock source, the SCLK pin will generated a serial clock at 12.288 MHz (or one half of the crystal frequency applied at XTAL1), and the CLKOUT pin will also generate a clock output at 12.288 MHz when the AD1847 is in bus master mode (BM = HI). When XTAL2 is selected (by setting the CSL bit HI in the Data Format Register) as the clock source, the SCLK pin will generate a serial clock at 11.2896 MHz (or two thirds of the crystal frequency applied at XTAL2), and the CLKOUT pin will generate a clock output at 16.9344 MHz when the AD1847 is in bus master mode (BM = HI). The CLKOUT pin will be three-stated when the AD1847 is placed in bus slave mode (BM = LO).

When the selected frame size is 32 slots per frame (by resetting the FRS bit LO in the Miscellaneous Information Register), the SDFS pin will generate a serial data frame sync at the frequency of the selected sample rate divided by two, when the AD1847 is in bus master mode (BM = HI). When the selected frame size is 16 slots per frame (by setting the FRS bit HI in the Miscellaneous Information Register), the SDFS pin will generate a serial data frame sync at the frequency of the selected sample rate, when the AD1847 is in bus master mode (BM = HI).

REV. B –21–

When the AD1847 is in bus slave mode (BM = LO), the TSI pin should be connected to the TSO pin of the AD1847 master or slave which has been assigned to the preceding time slots. The signal on the TSO pin is essentially the signal received on the TSI pin, but delayed by 3 or 6 time slots from TSI (depending on the state of TSSEL). The frequency of the transitions on the TSI and TSO lines is equivalent to the frequency on the SDFS pin.

When the AD1847 is in bus master mode (BM = HI), the TSI pin should be connected to digital ground. The signal on the TSO pin is essentially the same as the signal output on the SDFS pin, but delayed by 3 or 6 time slots from SDFS (again, depending on the state of TSSEL).

#### Mode Change Enable State

The AD1847 must be in the Mode Change Enable (MCE) state before any changes to the ACAL bit of the Interface Configuration Register, the Data Format Register, or the Miscellaneous Information Register/are/allowed. Note that the MCE bit does not have to be reset LO in order for changes to take effect.

Digital Mix

Digital mix is enabled via the DME bit in the Digital Mix Control Register. The digital mix rowes the digital data from the ADCs to the DACs. The mix can be digitally attenuated via bits also in the Digital Mix Control Register. The ADC data is summed with the DAC data supplied at the digital bus interface. When digital mix is enabled and the PEN bit is not set, ADC data is summed with zeros to produce the DAC output.

If the sum of the digital mix (ADC output and DAC input from the serial bus interface) is greater than full scale, the AD1847 will send a positive or negative full scale value to the DACs, whichever is appropriate (clipping).

#### Autocalibration

The AD1847 has the ability to calibrate its ADCs and DACs for greater accuracy by minimizing dc offsets. Autocalibration occurs whenever the AD1847 exits from the Mode Change Enable (MCE) state AND the ACAL bit in the Interface Configuration Register has been set.

The completion of the autocalibration sequence can be determined by polling the Autocalibration In-Progress (ACI) bit in the Status Word. This bit will be HI while the autocalibration is in progress and LO once autocalibration has completed. The autocalibration sequence will take at least 384 sample periods.

The autocalibration procedure is as follows:

- 1. Mute both left and right AUX1 and AUX2 inputs via the Left Auxiliary Input and Right Auxiliary Input Control Registers.
- 2. Place the AD1847 in the Mode Change Enable (MCE) state using the MCE bit of the AD1847 Control Word. Set the ACAL bit in the Interface Configuration Register.
- 3. Exit from the Mode Change Enable state by resetting the MCE bit.
- 4. Poll the ACI bit in the AD1847 Status Word for a HI (autocalibration in progress), then poll the ACI bit for a LO (autocalibration complete).
- 5. Unmute the AUX inputs, if used.

If ACAL is not set, the AD1847 is muted for 128 sample periods after resetting the MCE bit, and the ACI bit in the Status Word is set HI during this 128 sample periods. Autocalibration must be performed after power-up to ensure proper operation of the AD1847.

Exiting from the MCE state always causes ACI to go HI. If the ACAL bit is set when MCE state is exited, then the ACI bit will be HI for 384 sample periods. If the ACAL bit is reset when MCE is exited, then the ACI bit will be HI for 128 sample periods.

### **Changing Sample Rates**

The internal states of the AD1847 are synchronized by the selected sample frequency defined in the Data Format Register. The changing of either the clock source or the clock frequency divide requires a special sequence for proper AD1847 operation.

- Mute the outputs of the AD1847 and enter the Mode Change Enable (MCE) state by setting the MCE bit of the AD1847 Control Word.
- 2. During a single atomic or nondivisible write cycle, change the Clock Frequency Divide Select (CFS) and/or the Clock Source Select (CSL) bits of the Data Format Register to the desired values. CFS and CSL can be programmed in the same Control Work as MCE.
- B. The INIT bit in the Status Word will be set HI at the last sample of the next frame to indicate that the serial port will be disabled for a timeout period.
- 4. The AD1847 requires a period of time to resynchronize its internal states to the newly selected clock. During this time, the AD1847 will be unable to respond at its serial interface port (i.e., no frame syncs will be generated). The time-out period is  $2^{21} \times SCLK \approx 170$  ms after power-up, and  $\approx 5$  ms for subsequent changes of sample rate.
- 5. Exit the Mode Change Enable state by resetting the MCE bit. Upon exiting the MCE state, an autocalibration of duration 384 sample periods or an output mute of duration 128 sample periods occurs, depending on the state of the ACAL bit.
- 6. Poll the ACI bit in the AD1847 Status Word for a HI (indicating that autocalibration is in progress) then poll the ACI bit for a LO (indicating that autocalibration has completed). Once the ACI bit has been read back LO, normal operation of the Codec can resume.

The CSL and CFS bits cannot be changed unless the AD1847 is in the Mode Change Enable state (i.e., the MCE bit in the AD1847 Control Word is set). Attempts to change the contents of the Data Format Register without MCE set will result in the write cycle not being recognized (the bits will not be updated).

The MCE bit should not be reset until after the INIT bit in the AD1847 Status Word is detected HI. After the INIT bit is detected HI, the serial port is disabled. When the next frame sync arrives (after the time-out period), all internal clocks are stable and the serial port is ready for normal operation.


–22– REV. B

#### **DATA FORMAT DEFINITIONS**

There are four data formats supported by the AD1847: 16-bit signed, 8-bit unsigned, 8-bit companded  $\mu$ -law, and 8-bit companded A-law. The AD1847 supports these four formats because each of them have found wide use in important applications.

#### **16-Bit Signed Format**

The 16-bit signed format (also called 16-bit twos-complement) is the standard method of representing 16-bit digital audio. This format yields 96 dB of dynamic range and is common in consumer compact disk audio players. This format uses the value – 32768 (8000h) to represent minimum analog amplitude while 32767 (7FFFh) represents maximum analog amplitude. Intermediate values are a linear interpolation between minimum and maximum amplitude values.



# 8-Bit Unsigned Format

The 8-bit unsigned format is commonly used in the personal computer industry. This format delivers 48 dB of dynamic range. The value 0 (00h) is used to represent minimum analog amplitude while 255 (FFh) is used to represent maximum analog amplitude. Intermediate values are a linear interpolation between minimum and maximum amplitude values. The least significant byte of the 16-bit internal data is truncated to create the 8-bit output samples.





Figure 12. 8-Bit Unsigned Format

#### **8-Bit Companded Formats**

The 8-bit companded formats ( $\mu\text{-law}$  and A-law) are used in the telecommunications industry. Both of these formats are used in ISDN communications and workstations;  $\mu\text{-law}$  is the standard for the United States and Japan while A-law is used in Europe. Companded audio allows either 64 dB or 72 dB of dynamic range using only 8-bits per sample. This is accomplished using a nonlinear formula which assigns more digital codes to lower amplitude analog signals at the expense of resolution of higher amplitude signals. The  $\mu\text{-law}$  format of the AD1847 conforms to the Bell System  $\mu=255$  companding law while the A-law format conforms to CCITT "A" law models. Figure 13 shows approximately how both the  $\mu\text{-law}$  and A-law companding schemes behave. Refer to the standards mentioned above for an exact definition.



### APPLICATIONS CIRCUITS

The AD1847 Stereo Codec has been designed to require a minimum of external circuitry. The recommended circuits are shown in Figures 14 through 22. Analog Devices estimates that the total cost of all the components shown in these Figures, including crystals, to be less than \$3 in 10,000 quantities.

Industry-standard compact disc "line-levels" are 2  $V_{rms}$  centered around analog ground. (For other audio equipment, "line level" is much more loosely defined.) The AD1847 SoundPort is a +5 V only powered device. Line level voltage swings for the AD1847 are defined to be 1  $V_{rms}$  for a sine wave ADC input and 0.707  $V_{rms}$  for a sine wave DAC output. Thus, 2  $V_{rms}$  input analog signals must be attenuated and either centered around the reference voltage intermediate between 0 V and +5 V or ac-coupled. The  $V_{REF}$  pin will be at this intermediate voltage, nominally 2.25 V. It has limited drive but can be used as a voltage datum to an op amp input. Note, however, that dc-coupled inputs are not recommended, as they provide no performance benefits with the AD1847 architecture. Furthermore, dc offset differences between multiple dc-coupled inputs create the potential for "clicks" when changing the input mux selection.

REV. B –23–

Circuits for 2  $V_{rms}$  line-level inputs and auxiliaries are shown in Figure 14 and Figure 15. Note that these are divide-by-two resistive dividers. The input resistor and 560 pF (1000 pF) capacitor provide the single-pole of antialias filtering required for the ADCs. If line-level inputs are already at the 1  $V_{rms}$  levels expected by the AD1847, the resistors in parallel with the 560 pF (1000 pF) capacitors can be omitted. If the application does not route the AUX2 inputs to the ADCs, then no antialias filtering is required (only the 1  $\mu$ F ac coupling capacitor).




Figure 15. 2 V<sub>rms</sub> Line-Level Input Circuit for AUX Inputs

Figure 16 illustrates one example of how an electret condenser microphone requiring phantom power could be connected to the AD1847.  $V_{\rm REF}$  is shown buffered by an op amp; a transistor like a 2N4124 will also work well for this purpose. Note that if a battery-powered microphone is used, the buffer and R2s are not needed. The values of R1, R2, and C should be chosen in light of the mic characteristics and intended gain. Typical values for these might be R1 = 20 k $\Omega$ , R2 = 2 k $\Omega$ , and C = 220 pF.




Figure 16. "Phantom-Powered" Microphone Input Circuit

Figure 17 shows ac-coupled line outputs. The resistors are used to center the output signals around analog ground. If dc-coupling is desired,  $V_{\rm REF}$  could be used with op amps as mentioned previously.




Figure 17. Line Output Connections

A circuit for headphone drive is illustrated in Figure 18. Drive is supplied by +5 V operational amps. The circuit shown ac couples the headphones to the line output.




Figure 19. Voltage Reference Bypassing

Figure 20 illustrates signal-path filtering capacitors, L\_FILT and R\_FILT. The AD1847 must use 1.0  $\mu F$  capacitors. The 1.0  $\mu F$  capacitors required by the AD1847 can be of any type.




Figure 20. External Filter Capacitor Connections

–24– REV. B

The crystals shown in the crystal connection circuitry of Figure 21 should be fundamental-mode and parallel-tuned. Two sources for the exact crystals specified are Component Marketing Services in Massachusetts, U.S. at 617/762-4339 and Cardinal Components in New Jersey, U.S. at 201/746-0333. Note that using the exact data sheet frequencies is not required and that external clock sources can be used to overdrive the AD1847s internal oscillators. (See the description of the CFS2:0 control bits above.) If using an external clock source, apply it to the crystal input pins while leaving the crystal output pins unconnected. Attention should be paid to providing low-jitter external input clocks .

Analog Devices recommends a split ground plane as shown in Figure 23. The analog plane and the digital plane are connected directly under the AD1847. Splitting the ground plane directly under the SoundPort Codec is optimal because analog pins will be located directly above the analog ground plane and digital pins will be located directly above the digital ground plane for the best isolation. The digital and analog grounds should be tied together in the vicinity of the AD1847. Other schemes may also yield satisfactory results. If the split ground plane recommended here is not possible, the AD1847 should be entirely over the analog ground plane with the ASIC and DSP over the digital plane.




Figure 22. Recommended Power Supply Bypassing

REV. B –25–

# FREQUENCY RESPONSE PLOTS





Figure 25. AD1847 Analog-to-Digital Frequency Response –Transition Band (Full-Scale Line-Level Inputs, 0 dB Gain)

Figure 27. AD1847 Digital-to-Analog Frequency Response – Transition Band (Full-Scale Inputs, 0 dB Attenuation)

–26– REV. B







Figure 32. Serial Data Format, 1-Wire System (TSSEL = 0)


REV. B –27–

### **OUTLINE DIMENSIONS**

Dimensions shown in inches and (mm).

# 44-Lead PLCC (P-44A)





PRODUCT OVERVIEW	INDEX	PAG	GΕ
ORDERING GUIDE         5           PINOUTS         5           PIN DESCRIPTIONS         6           AUDIO FUNCTIONAL DESCRIPTION         7           Analog Inputs         7           Analog Mixing         7           Analog-to-Digital Datapath         7           Digital-to-Analog Datapath         7           Digital Mixing         8           Analog Outputs         8           Digital Data Types         8           Power Supplies and Voltage Reference         8           Clocks and Sample Rates         8           Control Register Mapping         9           Control Register Mapping         9           Control Word         10           Left/Right Playback/Capture Data         10           Status-Word         11           Index/Readback         12           Indirect Mapped Registers         12           Left/Input Control Register         13           Right Auxiliary # Input Control Register         13           Right Auxiliary # Input Control Register         14           Left DAC Control Register         14           Left DAC Control Register         14           Interface Configuration Register         16 <td>PRODUCT OVERVIEW</td> <td></td> <td>. 1</td>	PRODUCT OVERVIEW		. 1
PINOUTS PIN DESCRIPTIONS 6 AUDIO FUNCTIONAL DESCRIPTION 7 Analog Inputs 7 Analog Mixing 7 Analog Mixing 7 Analog-to-Digital Datapath 7 Digital-to-Analog Datapath 7 Digital Mixing 8 Analog Outputs 8 Digital Data Types 8 Power Supplies and Voltage Reference 8 Clocks and Sample Rates 8 CONTROL REGISTERS 9 Control Register Mapping 9 Control Word 10 Left/Right Playback/Capture Data 10 Status-Word 11 Index/Readback 12 Indirect Mapped Registers 12 Left/Input Control Register 13 Right Input Control Register 13 Right Auxiliary #1 Input Control Register 13 Left Auxiliary #2 Input Control Register 14 Right Auxiliary #2 Input Control Register 14 Right Auxiliary #2 Input Control Register 14 Right Auxiliary #2 Input Control Register 15 Interface Configuration Register 16 Invalid Address 16 Invalid Address 17 Digital Mix Control Register 18 Control Register Mapping Summary 20 Daisy-Chained Multiple Codecs 20 INITIALIZATION AND PROCEDURES 21 Reset and Power Down 21 Clock Connections and Clock Rates 21 Mode Change Enable State 22 Digital Mix 22 Autocalibration 22 Changing Sample Rates 22 DATA FORMAT DEFINITIONS 23 8-Bit Unsigned Format 23 8-Bit Companded Format 24 7 FREQUENCY RESPONSE PLOTS 26 TiMiNG DIAGRAMS	AD1847 SPECIFICATIONS		. 2
PINOUTS         5           PIN DESCRIPTIONS         6           AUDIO FUNCTIONAL DESCRIPTION         7           Analog Inputs         7           Analog Mixing         7           Analog-to-Digital Datapath         7           Digital-to-Analog Datapath         7           Digital Mixing         8           Analog Outputs         8           Digital Data Types         8           Power Supplies and Voltage Reference         8           Clocks and Sample Rates         8           Control Register Mapping         9           Control Register Mapping         9           Control Word         10           Left/Right Playback/Capture Data         10           Status, Word         11           Index Readback         12           Indirect Mapped Register         12           Left/Input Control Register         13           Right Ausiliary #1 Input Control Register         13           Left Auxiliary #2 Input Control Register         14           Right	ORDERING GUIDE		. 5
AUDIO FUNCTIONAL DESCRIPTION 7 Analog Inputs 7 Analog Mixing 7 Analog Mixing 7 Analog Mixing 7 Analog-to-Digital Datapath 7 Digital-to-Analog Datapath 7 Digital Mixing 8 Analog Outputs 8 Digital Data Types 8 Power Supplies and Voltage Reference 8 Clocks and Sample Rates 8 Clocks and Sample Rates 8 CONTROL REGISTERS 9 Control Register Mapping 9 Control Register Mapping 9 Control Word 10 Left/Right Playback/Capture Data 10 Status-Word 11 Index/Readback 12 Indirect Mapped Register 12 Left Input Control Register 13 Right Input Control Register 13 Right Auxiliary #1 Input Control Register 13 Left Auxiliary #2 Input Control Register 14 Right DAC Control Register 14 Data Format Register 15 Interface Configuration Register 16 Pin Control Register 16 Miscellaneous Information Register 17 Digital Mix Control Register 17 Digital Mix Control Register 17 Invalid Address 16 Miscellaneous Information Register 17 Digital Mix Control Register 17 Digital Mix Control Register 17 Digital Mix Control Register 17 Serial Data Interface 18 Control Register Mapping Summary 20 Daisy-Chained Multiple Codecs 20 INTTIALIZATION AND PROCEDURES 21 Reset and Power Down 21 Clock Connections and Clock Rates 21 Mode Change Enable State 22 Digital Mix 22 Autocalibration 22 Changing Sample Rates 22 DATA FORMAT DEFINITIONS 23 16-Bit Signed Format 23 8-Bit Companded Format 23 8-Bit Compand			
Analog Inputs 7 Analog Mixing 7 Analog-to-Digital Datapath 7 Digital-to-Analog Datapath 7 Digital-to-Analog Datapath 7 Digital Mixing 8 Analog Outputs 8 Digital Data Types 8 Power Supplies and Voltage Reference 8 Clocks and Sample Rates 8 Clocks and Sample Rates 8 CONTROL REGISTERS 9 Control Register Mapping 9 Control Word 10 Left/Right Playback/Capture Data 10 Status-Word 11 Index/Readback 12 Indirect Mapped Register 12 Left/Input Control Register 13 Right Input Control Register 13 Right Input Control Register 13 Right Auxiliary #1 Input Control Register 14 Right Auxiliary #2 Input Control Register 14 Right Auxiliary #2 Input Control Register 14 Left DAC Control Register 14 Data Format Register 14 Data Format Register 15 Interface Configuration Register 16 Invalid Address 16 Miscellaneous Information Register 17 Digital Mix Control Register 19 Clock Connections and Clock Rates 19 DATA FORMAT DEFINITIONS 22 DATA FORMAT DEFINITIONS 23 16-Bit Signed Format 23 8-Bit Companded Format 23 8-Bi	PIN DESCRIPTIONS		. 6
Analog Mixing Analog-to-Digital Datapath Digital-to-Analog Datapath Digital-to-Analog Datapath Digital Mixing Analog Outputs Banalog Outputs Bower Supplies and Voltage Reference Clocks and Sample Rates CONTROL REGISTERS CONTROL REGISTERS CONTROL REGISTERS Control Register Mapping Control Word Deft/Right Playback/Capture Data Control Word Deft/Right Playback/Capture Data Digital Control Register Digital Control Register Deft Induct Mapped Registers Deft Input Control Register Deft Auxiliary #1 Input Control Register Deft Auxiliary #2 Input Control Register Deft Auxiliary #2 Input Control Register Deft DAC Control Register Data Format Register Digital Mix Control Register Digi	AUDIO FUNCTIONAL DESCRIPTION		. 7
Analog Mixing Analog-to-Digital Datapath Digital-to-Analog Datapath Digital-to-Analog Datapath Digital Mixing Analog Outputs Banalog Outputs Bower Supplies and Voltage Reference Clocks and Sample Rates CONTROL REGISTERS CONTROL REGISTERS CONTROL REGISTERS Control Register Mapping Control Word Deft/Right Playback/Capture Data Control Word Deft/Right Playback/Capture Data Digital Control Register Digital Control Register Deft Induct Mapped Registers Deft Input Control Register Deft Auxiliary #1 Input Control Register Deft Auxiliary #2 Input Control Register Deft Auxiliary #2 Input Control Register Deft DAC Control Register Data Format Register Digital Mix Control Register Digi	Analog Inputs		. 7
Analog-to-Digital Datapath 7 Digital-to-Analog Datapath 7 Digital Mixing 8 Analog Outputs 8 Digital Data Types 8 Power Supplies and Voltage Reference 8 Clocks and Sample Rates 8 Control Register Mapping 9 Control Word 10 Left/Right Playback/Capture Data 10 Status/Word 11 Index/Readback 12 Indirect Mapped Register 12 Left/Input Control Register 13 Right Input Control Register 13 Right Input Control Register 13 Right Auxiliary #1 Input Control Register 14 Right Auxiliary #2 Input Control Register 14 Left Auxiliary #2 Input Control Register 14 Right Auxiliary #2 Input Control Register 14 Left DAC Control Register 14 Right Auxiliary #2 Input Control Register 14 Left DAC Control Register 15 Interface Configuration Register 16 Invalid Address 16 Invalid Address 16 Miscellaneous Information Register 17 Invalid Address 17 Serial Data Interface 18 Control Register Mapping Summary 20 Daisy-Chained Multiple Codecs 10 INTIALIZATION AND PROCEDURES 21 Reset and Power Down 21 Clock Connections and Clock Rates 22 Digital Mix 22 Autocalibration 22 Changing Sample Rates 22 DATA FORMAT DEFINITIONS 23 16-Bit Signed Format 23 8-Bit Unsigned Format 23 8-Bit Unsigned Format 23 8-Bit Unsigned Format 23 8-Bit Companded			
Digital-to-Analog Datapath 7 Digital Mixing 8 Analog Outputs 8 Digital Data Types 8 Power Supplies and Voltage Reference 8 Clocks and Sample Rates 8 CONTROL REGISTERS 9 Control Register Mapping 9 Control Word 10 Left/Right Playback/Capture Data 10 Status Word 11 Index/Readback 12 Indirect Mapped Registers 12 Left/Input Control Register 13 Right Input Control Register 13 Right Input Control Register 13 Right Auxiliary #1 Input Control Register 14 Right Auxiliary #2 Input Control Register 14 Right Auxiliary #2 Input Control Register 14 Right Auxiliary #2 Input Control Register 14 Right DAC Control Register 14 Right DAC Control Register 14 Right DAC Control Register 15 Interface Configuration Register 16 Pin Control Register 16 Invalid Address 16 Miscellaneous Information Register 17 Invalid Address 17 Serial Data Interface 18 Control Register Mapping Summary 20 Daisy-Chained Multiple Codecs 20 INITIALIZATION AND PROCEDURES 21 Reset and Power Down 21 Clock Connections and Clock Rates 21 Mode Change Enable State 22 Digital Mix 22 Autocalibration 22 Changing Sample Rates 22 DATA FORMAT DEFINITIONS 23 16-Bit Signed Format 23 8-Bit Unsigned Format 23 8-Bit Unsigned Format 23 8-Bit Unsigned Format 23 8-Bit Companded Formats 23 8-Bit Companded Formats 23 8-Bit Companded Formats 23 8-Bit Companded Formats 23 8-Bit Companded Format 24  Timulian Address 27			
Analog Outputs Digital Data Types Power Supplies and Voltage Reference Reflections and Sample Rates Clocks and Sample Rates RONTROL REGISTERS Control Register Mapping Control Word Left/Right Playback/Capture Data Index/Readback Indirect Mapped Registers Left/Input Control Register Left/Input Control Register Left Auxiliary #1 Input Control Register Right Auxiliary #1 Input Control Register Right Auxiliary #2 Input Control Register Left Auxiliary #2 Input Control Register Right Auxiliary #2 Input Control Register Left Auxiliary #2 Input Control Register Right Auxiliary #2 Input Control Register Right Auxiliary #2 Input Control Register Left Auxiliary Register Left Auxiliary Register Right Auxiliary Register Interface Configuration Register Interface Configuration Register Interface Configuration Register In Data Format Register In Invalid Address Information Register Interface Configuration Register Invalid Address Information Register Invalid Address Information Register Interface Control Register Interface Control Register Interface Configuration Register Interface Control Register Interface Configuration Register Interface Control Register Interface Configuration Register Interface Control Register Interface Control Register Interface Control Register Interface Configuration Register Interface Control Register Interface Control Register Interface Control Register Interface Control Register Interface Configuration Interface Control Register Interface Control Register Interface Control Register Interface Control Register Interface Configuration Interface Control Register Interface Contro	Digital-to-Analog Datapath		. 7
Digital Data Types Power Supplies and Voltage Reference Clocks and Sample Rates CONTROL REGISTERS Control Register Mapping Control Word 10 Left/Right Playback/Capture Data Status Word 11 Index/Readback 12 Indirect Mapped Registers 12 Left/Input Control Register 13 Right Input Control Register 13 Right Input Control Register 14 Right Auxiliary #1 Input Control Register 15 Right Auxiliary #2 Input Control Register 14 Right Auxiliary #2 Input Control Register 15 Interface Configuration Register 16 Pin Control Register 17 Digital Mix Control Register 16 Invalid Address 16 Miscellaneous Information Register 17 Digital Mix Control Register 17 Digital Mix Control Register 17 Invalid Address 17 Serial Data Interface 18 Control Register Mapping Summary 20 Daisy-Chained Multiple Codecs 20 INITIALIZATION AND PROCEDURES 21 Reset and Power Down 21 Clock Connections and Clock Rates 22 Digital Mix 22 Autocalibration 22 Changing Sample Rates 22 DATA FORMAT DEFINITIONS 23 16-Bit Signed Format 23 8-Bit Unsigned Format 23 8-Bit Unsigned Format 23 8-Bit Unsigned Format 23 8-Bit Unsigned Format 24 TIMING DIAGRAMS 27			
Digital Data Types Power Supplies and Voltage Reference Clocks and Sample Rates CONTROL REGISTERS Control Register Mapping Control Word 10 Left/Right Playback/Capture Data Status Word 11 Index/Readback 12 Indirect Mapped Registers 12 Left/Input Control Register 13 Right Input Control Register 13 Right Input Control Register 14 Right Auxiliary #1 Input Control Register 15 Right Auxiliary #2 Input Control Register 14 Right Auxiliary #2 Input Control Register 15 Interface Configuration Register 16 Pin Control Register 17 Digital Mix Control Register 16 Invalid Address 16 Miscellaneous Information Register 17 Digital Mix Control Register 17 Digital Mix Control Register 17 Invalid Address 17 Serial Data Interface 18 Control Register Mapping Summary 20 Daisy-Chained Multiple Codecs 20 INITIALIZATION AND PROCEDURES 21 Reset and Power Down 21 Clock Connections and Clock Rates 22 Digital Mix 22 Autocalibration 22 Changing Sample Rates 22 DATA FORMAT DEFINITIONS 23 16-Bit Signed Format 23 8-Bit Unsigned Format 23 8-Bit Unsigned Format 23 8-Bit Unsigned Format 23 8-Bit Unsigned Format 24 TIMING DIAGRAMS 27	Analog Outputs		. 8
Clocks and Sample Rates  CONTROL REGISTERS  Control Register Mapping  Control Word  Left/Right Playback/Capture Data  Status Word  Index/Readback  Indirect Mapped/Registers  Left/Input Control Register  Left Auxiliary #1 Input Control Register  Right Auxiliary #2 Input Control Register  Left DAC Control Register  Left DAC Control Register  Interface Configuration Register  Interface Configuration Register  Pin Control Register  Invalid Address  Miscellaneous Information Register  Invalid Address  Miscellaneous Information Register  Invalid Address  Control Register Mapping Summary  Daisy-Chained Multiple Codecs  Interface Connections and Clock Rates  Mode Change Enable State  Digital Mix  22  Autocalibration  Changing Sample Rates  DATA FORMAT DEFINITIONS  13  Reguency Response PLOTS  23  APPLICATIONS CIRCUITS  23  APPLICATIONS CIRCUITS  23  FREQUENCY RESPONSE PLOTS  26  TIMING DIAGRAMS  27			
Clocks and Sample Rates  CONTROL REGISTERS  Control Register Mapping  Control Word  Left/Right Playback/Capture Data  Status Word  Index/Readback  Indirect Mapped/Registers  Left/Input Control Register  Left Auxiliary #1 Input Control Register  Right Auxiliary #2 Input Control Register  Left DAC Control Register  Left DAC Control Register  Interface Configuration Register  Interface Configuration Register  Pin Control Register  Invalid Address  Miscellaneous Information Register  Invalid Address  Miscellaneous Information Register  Invalid Address  Control Register Mapping Summary  Daisy-Chained Multiple Codecs  Interface Connections and Clock Rates  Mode Change Enable State  Digital Mix  22  Autocalibration  Changing Sample Rates  DATA FORMAT DEFINITIONS  13  Reguency Response PLOTS  23  APPLICATIONS CIRCUITS  23  APPLICATIONS CIRCUITS  23  FREQUENCY RESPONSE PLOTS  26  TIMING DIAGRAMS  27			
Control Register Mapping 9 Control Word 10 Left/Right Playback/Capture Data 10 Status, Word 11 Index Readback 12 Indirect Mapped Registers 12 Left Input Control Register 13 Right Input Control Register 13 Left Auxiliary #1 Input Control Register 13 Left Auxiliary #2 Input Control Register 14 Right DAC Control Register 14 Right DAC Control Register 14 Right DAC Control Register 15 Interface Configuration Register 16 Pin Control Register 16 Miscellaneous Information Register 16 Miscellaneous Information Register 17 Digital Mix Control Register 17 Digital Mix Control Register 17 Invalid Address 16 Miscellaneous Information Register 18  Control Register 19 Invalid Address 16  Invalid A			
Control Word Left/Right Playback/Capture Data Status Word II Index/Readback I2 Indirect Mapped Registers Left/Input Control Register Left/Input Control Register Left Auxiliary #1 Input Control Register Left Auxiliary #1 Input Control Register Left Auxiliary #2 Input Control Register Left DAC Control Register Left DAC Control Register Right DAC Control Register I14 Left DAC Control Register I25 Interface Configuration Register I36 Invalid Address I37 Invalid Address I46 Miscellaneous Information Register I70 Digital Mix Control Register I71 Invalid Address I73 Serial Data Interface I88 Control Register Mapping Summary Daisy-Chained Multiple Codecs INITIALIZATION AND PROCEDURES I16 Reset and Power Down Clock Connections and Clock Rates I21 Mode Change Enable State Digital Mix Autocalibration 22 Changing Sample Rates DATA FORMAT DEFINITIONS I6-Bit Signed Format Bit Unsigned Format Bit Companded Formats B			
Control Word Left/Right Playback/Capture Data Status Word II Index/Readback I2 Indirect Mapped Registers Left/Input Control Register Left/Input Control Register Left Auxiliary #1 Input Control Register Left Auxiliary #1 Input Control Register Left Auxiliary #2 Input Control Register Left DAC Control Register Left DAC Control Register Right DAC Control Register I14 Left DAC Control Register I25 Interface Configuration Register I36 Invalid Address I37 Invalid Address I46 Miscellaneous Information Register I70 Digital Mix Control Register I71 Invalid Address I73 Serial Data Interface I88 Control Register Mapping Summary Daisy-Chained Multiple Codecs INITIALIZATION AND PROCEDURES I16 Reset and Power Down Clock Connections and Clock Rates I21 Mode Change Enable State Digital Mix Autocalibration 22 Changing Sample Rates DATA FORMAT DEFINITIONS I6-Bit Signed Format Bit Unsigned Format Bit Companded Formats B	Control Register Mapping		. 9
Status Word Index Readback Indirect Mapped Registers Indirect Mapped Registers Indirect Mapped Register Indirect Mapped Register Indirect Mapped Register Input Control Register Interfor Control Register Interfor Configuration Register Interface Configuration Register Invalid Address Interface Configuration Register Invalid Address Invalid Add	Control Word		10
Status Word Index Readback Indirect Mapped Registers Indirect Mapped Registers Indirect Mapped Register Indirect Mapped Register Indirect Mapped Register Input Control Register Interfor Control Register Interfor Configuration Register Interface Configuration Register Invalid Address Interface Configuration Register Invalid Address Invalid Add	Left/Right Playback/Capture Data		10
Indirect Mapped Registers			
Indirect Mapped Registers	\ In/dex/Readback		12
Left Input Control Register   13   Right Input Control Register   13   Left Auxiliary #1 Input Control Register   14   Right Auxiliary #2 Input Control Register   14   Right Auxiliary #2 Input Control Register   14   Right Auxiliary #2 Input Control Register   14   Left DAC Control Register   14   Left DAC Control Register   14   Right DAC Control Register   15   Interface Configuration Register   16   Invalid Address   16   Invalid Address   16   Invalid Address   17   Digital Mix Control Register   17   Invalid Address   17   Serial Data Interface   18   Control Register Mapping Summary   20   Daisy-Chained Multiple Codecs   20   INITIALIZATION AND PROCEDURES   21   Reset and Power Down   21   Clock Connections and Clock Rates   22   Digital Mix   22   Autocalibration   22   Changing Sample Rates   22   DATA FORMAT DEFINITIONS   23   16-Bit Signed Format   23   8-Bit Unsigned Format   23   8-Bit Companded Formats   23   APPLICATIONS CIRCUITS   23   FREQUENCY RESPONSE PLOTS   26   TIMING DIAGRAMS   27	Indirect Manned Register		12
Right Input Control Register	/ Left/Input Control Register //		13
Right Auxiliary #2 Input Control Register Left Auxiliary #2 Input Control Register Right Auxiliary #2 Input Control Register Left DAC Control Register Left DAC Control Register Right DAC Control Register Right DAC Control Register Interface Configuration Register Interface Configuration Register Invalid Address Information Register Invalid Address Information Register Invalid Address Invalid Add	Right Input Control Register	<u>.</u>	13
Right Auxiliary #2 Input Control Register Left Auxiliary #2 Input Control Register Right Auxiliary #2 Input Control Register Left DAC Control Register Left DAC Control Register Right DAC Control Register Right DAC Control Register Interface Configuration Register Interface Configuration Register Invalid Address Information Register Invalid Address Information Register Invalid Address Invalid Add	Left Auxiliary #1 Input Control Register		<b>73</b> ~
Right Auxiliary #2-Input Control Register Left DAC Control Register Right DAC Control Register Right DAC Control Register 14 Data Format Register 15 Interface Configuration Register Pin Control Register 16 Invalid Address 16 Miscellaneous Information Register 17 Digital Mix Control Register 17 Invalid Address 17 Serial Data Interface 18 Control Register Mapping Summary 20 Daisy-Chained Multiple Codecs 20 INITIALIZATION AND PROCEDURES 21 Reset and Power Down 21 Clock Connections and Clock Rates 21 Mode Change Enable State 22 Digital Mix 22 Autocalibration 22 Changing Sample Rates 22 DATA FORMAT DEFINITIONS 23 16-Bit Signed Format 23 8-Bit Unsigned Format 23 8-Bit Companded Formats 23 APPLICATIONS CIRCUITS 25 TIMING DIAGRAMS 27	Right Auxiliary #1/ Input Control Register/.	. [	13_
Right Auxiliary #2-Input Control Register Left DAC Control Register Right DAC Control Register Right DAC Control Register 14 Data Format Register 15 Interface Configuration Register Pin Control Register 16 Invalid Address 16 Miscellaneous Information Register 17 Digital Mix Control Register 17 Invalid Address 17 Serial Data Interface 18 Control Register Mapping Summary 20 Daisy-Chained Multiple Codecs 20 INITIALIZATION AND PROCEDURES 21 Reset and Power Down 21 Clock Connections and Clock Rates 21 Mode Change Enable State 22 Digital Mix 22 Autocalibration 22 Changing Sample Rates 22 DATA FORMAT DEFINITIONS 23 16-Bit Signed Format 23 8-Bit Unsigned Format 23 8-Bit Companded Formats 23 APPLICATIONS CIRCUITS 25 TIMING DIAGRAMS 27	Left Auxiliary #2 Input Control Register	.Ļ.,	14
Data Format Register         15           Interface Configuration Register         16           Pin Control Register         16           Invalid Address         16           Miscellaneous Information Register         17           Digital Mix Control Register         17           Invalid Address         17           Serial Data Interface         18           Control Register Mapping Summary         20           Daisy-Chained Multiple Codecs         20           INITIALIZATION AND PROCEDURES         21           Reset and Power Down         21           Clock Connections and Clock Rates         21           Mode Change Enable State         22           Digital Mix         22           Autocalibration         22           Changing Sample Rates         22           DATA FORMAT DEFINITIONS         23           16-Bit Signed Format         23           8-Bit Unsigned Format         23           8-Bit Companded Formats         23           APPLICATIONS CIRCUITS         23           FREQUENCY RESPONSE PLOTS         26           TIMING DIAGRAMS         27	Right Auxiliary #2 Input Control Register/	<u> </u>	14
Data Format Register         15           Interface Configuration Register         16           Pin Control Register         16           Invalid Address         16           Miscellaneous Information Register         17           Digital Mix Control Register         17           Invalid Address         17           Serial Data Interface         18           Control Register Mapping Summary         20           Daisy-Chained Multiple Codecs         20           INITIALIZATION AND PROCEDURES         21           Reset and Power Down         21           Clock Connections and Clock Rates         21           Mode Change Enable State         22           Digital Mix         22           Autocalibration         22           Changing Sample Rates         22           DATA FORMAT DEFINITIONS         23           16-Bit Signed Format         23           8-Bit Unsigned Format         23           8-Bit Companded Formats         23           APPLICATIONS CIRCUITS         23           FREQUENCY RESPONSE PLOTS         26           TIMING DIAGRAMS         27	Left DAC Control Register [ ]		$\overline{14}$
Data Format Register         15           Interface Configuration Register         16           Pin Control Register         16           Invalid Address         16           Miscellaneous Information Register         17           Digital Mix Control Register         17           Invalid Address         17           Serial Data Interface         18           Control Register Mapping Summary         20           Daisy-Chained Multiple Codecs         20           INITIALIZATION AND PROCEDURES         21           Reset and Power Down         21           Clock Connections and Clock Rates         21           Mode Change Enable State         22           Digital Mix         22           Autocalibration         22           Changing Sample Rates         22           DATA FORMAT DEFINITIONS         23           16-Bit Signed Format         23           8-Bit Unsigned Format         23           8-Bit Companded Formats         23           APPLICATIONS CIRCUITS         23           FREQUENCY RESPONSE PLOTS         26           TIMING DIAGRAMS         27	Right DAC Control Register	```	14
Pin Control Register       16         Invalid Address       16         Miscellaneous Information Register       17         Digital Mix Control Register       17         Invalid Address       17         Serial Data Interface       18         Control Register Mapping Summary       20         Daisy-Chained Multiple Codecs       20         INITIALIZATION AND PROCEDURES       21         Reset and Power Down       21         Clock Connections and Clock Rates       21         Mode Change Enable State       22         Digital Mix       22         Autocalibration       22         Changing Sample Rates       22         DATA FORMAT DEFINITIONS       23         16-Bit Signed Format       23         8-Bit Unsigned Format       23         8-Bit Companded Formats       23         APPLICATIONS CIRCUITS       23         FREQUENCY RESPONSE PLOTS       26         TIMING DIAGRAMS       27	Data Format Register	·	15/
Invalid Address	Interface Configuration Register		16
Miscellaneous Information Register17Digital Mix Control Register17Invalid Address17Serial Data Interface18Control Register Mapping Summary20Daisy-Chained Multiple Codecs20INITIALIZATION AND PROCEDURES21Reset and Power Down21Clock Connections and Clock Rates21Mode Change Enable State22Digital Mix22Autocalibration22Changing Sample Rates22DATA FORMAT DEFINITIONS2316-Bit Signed Format238-Bit Unsigned Format238-Bit Companded Formats23APPLICATIONS CIRCUITS23FREQUENCY RESPONSE PLOTS26TIMING DIAGRAMS27	Pin Control Register		16
Digital Mix Control Register         17           Invalid Address         17           Serial Data Interface         18           Control Register Mapping Summary         20           Daisy-Chained Multiple Codecs         20           INITIALIZATION AND PROCEDURES         21           Reset and Power Down         21           Clock Connections and Clock Rates         21           Mode Change Enable State         22           Digital Mix         22           Autocalibration         22           Changing Sample Rates         22           DATA FORMAT DEFINITIONS         23           16-Bit Signed Format         23           8-Bit Unsigned Format         23           8-Bit Companded Formats         23           APPLICATIONS CIRCUITS         23           FREQUENCY RESPONSE PLOTS         26           TIMING DIAGRAMS         27			
Invalid Address       17         Serial Data Interface       18         Control Register Mapping Summary       20         Daisy-Chained Multiple Codecs       20         INITIALIZATION AND PROCEDURES       21         Reset and Power Down       21         Clock Connections and Clock Rates       21         Mode Change Enable State       22         Digital Mix       22         Autocalibration       22         Changing Sample Rates       22         DATA FORMAT DEFINITIONS       23         16-Bit Signed Format       23         8-Bit Unsigned Format       23         8-Bit Companded Formats       23         APPLICATIONS CIRCUITS       23         FREQUENCY RESPONSE PLOTS       26         TIMING DIAGRAMS       27			
Serial Data Interface       18         Control Register Mapping Summary       20         Daisy-Chained Multiple Codecs       20         INITIALIZATION AND PROCEDURES       21         Reset and Power Down       21         Clock Connections and Clock Rates       21         Mode Change Enable State       22         Digital Mix       22         Autocalibration       22         Changing Sample Rates       22         DATA FORMAT DEFINITIONS       23         16-Bit Signed Format       23         8-Bit Unsigned Format       23         8-Bit Companded Formats       23         APPLICATIONS CIRCUITS       23         FREQUENCY RESPONSE PLOTS       26         TIMING DIAGRAMS       27			
Control Register Mapping Summary       20         Daisy-Chained Multiple Codecs       20         INITIALIZATION AND PROCEDURES       21         Reset and Power Down       21         Clock Connections and Clock Rates       21         Mode Change Enable State       22         Digital Mix       22         Autocalibration       22         Changing Sample Rates       22         DATA FORMAT DEFINITIONS       23         16-Bit Signed Format       23         8-Bit Unsigned Format       23         8-Bit Companded Formats       23         APPLICATIONS CIRCUITS       23         FREQUENCY RESPONSE PLOTS       26         TIMING DIAGRAMS       27			
Daisy-Chained Multiple Codecs       20         INITIALIZATION AND PROCEDURES       21         Reset and Power Down       21         Clock Connections and Clock Rates       21         Mode Change Enable State       22         Digital Mix       22         Autocalibration       22         Changing Sample Rates       22         DATA FORMAT DEFINITIONS       23         16-Bit Signed Format       23         8-Bit Unsigned Format       23         8-Bit Companded Formats       23         APPLICATIONS CIRCUITS       23         FREQUENCY RESPONSE PLOTS       26         TIMING DIAGRAMS       27			
INITIALIZATION AND PROCEDURES       21         Reset and Power Down       21         Clock Connections and Clock Rates       21         Mode Change Enable State       22         Digital Mix       22         Autocalibration       22         Changing Sample Rates       22         DATA FORMAT DEFINITIONS       23         16-Bit Signed Format       23         8-Bit Unsigned Format       23         8-Bit Companded Formats       23         APPLICATIONS CIRCUITS       23         FREQUENCY RESPONSE PLOTS       26         TIMING DIAGRAMS       27			
Reset and Power Down       21         Clock Connections and Clock Rates       21         Mode Change Enable State       22         Digital Mix       22         Autocalibration       22         Changing Sample Rates       22         DATA FORMAT DEFINITIONS       23         16-Bit Signed Format       23         8-Bit Unsigned Format       23         8-Bit Companded Formats       23         APPLICATIONS CIRCUITS       23         FREQUENCY RESPONSE PLOTS       26         TIMING DIAGRAMS       27			
Clock Connections and Clock Rates       21         Mode Change Enable State       22         Digital Mix       22         Autocalibration       22         Changing Sample Rates       22         DATA FORMAT DEFINITIONS       23         16-Bit Signed Format       23         8-Bit Unsigned Format       23         8-Bit Companded Formats       23         APPLICATIONS CIRCUITS       23         FREQUENCY RESPONSE PLOTS       26         TIMING DIAGRAMS       27			
Mode Change Enable State       22         Digital Mix       22         Autocalibration       22         Changing Sample Rates       22         DATA FORMAT DEFINITIONS       23         16-Bit Signed Format       23         8-Bit Unsigned Format       23         8-Bit Companded Formats       23         APPLICATIONS CIRCUITS       23         FREQUENCY RESPONSE PLOTS       26         TIMING DIAGRAMS       27			
Digital Mix       22         Autocalibration       22         Changing Sample Rates       22         DATA FORMAT DEFINITIONS       23         16-Bit Signed Format       23         8-Bit Unsigned Format       23         8-Bit Companded Formats       23         APPLICATIONS CIRCUITS       23         FREQUENCY RESPONSE PLOTS       26         TIMING DIAGRAMS       27			
Autocalibration			
Changing Sample Rates22DATA FORMAT DEFINITIONS2316-Bit Signed Format238-Bit Unsigned Format238-Bit Companded Formats23APPLICATIONS CIRCUITS23FREQUENCY RESPONSE PLOTS26TIMING DIAGRAMS27			
DATA FORMAT DEFINITIONS 23 16-Bit Signed Format 23 8-Bit Unsigned Format 23 8-Bit Companded Formats 23 APPLICATIONS CIRCUITS 23 FREQUENCY RESPONSE PLOTS 26 TIMING DIAGRAMS 27			
16-Bit Signed Format238-Bit Unsigned Format238-Bit Companded Formats23APPLICATIONS CIRCUITS23FREQUENCY RESPONSE PLOTS26TIMING DIAGRAMS27	Changing Sample Rates		22
8-Bit Unsigned Format238-Bit Companded Formats23APPLICATIONS CIRCUITS23FREQUENCY RESPONSE PLOTS26TIMING DIAGRAMS27			
8-Bit Companded Formats	16-Bit Signed Format		23
APPLICATIONS CIRCUITS	8-Bit Unsigned Format		23
FREQUENCY RESPONSE PLOTS	8-Bit Companded Formats		23
TIMING DIAGRAMS	APPLICATIONS CIRCUITS		23
TIMING DIAGRAMS			
OUTLINE DIMENSIONS			
	OUTI INF DIMENSIONS		00

All brand or product names mentioned are trademarks or registered trademarks of their respective holders.